

## Species List of the Diptera of the Outer Hebrides

(Revised March 2022)

### Introduction

The first comprehensive review of the Diptera of the Outer Hebrides was included in *Diptera Scotica VI – The Western Isles* (Grimshaw 1914-1916) and produced a list of 251 species for the islands. The attraction of the Outer Hebrides, and St Kilda in particular, to naturalists did not diminish and some 65 years later, A.R. Waterston was able to compile a list of 591 species (Waterston 1981).

The next annotated species list combined the islands of the Outer Hebrides and the Ebudes (Inner Hebrides) and was based on field work by Peter Skidmore from 1960-1995, literature searches and specimens in museum and private collections. Overall 1,895 species were listed, including 769 species from the Outer Hebrides (Skidmore 2008).

The list compiled by Skidmore is the base-line for this revised list, supplemented by species listed on the NBN Atlas and records in the scientific literature. The taxonomy has been up-dated so that it is consistent with the latest version of the UK species list (Chandler 2021).

The records incorporated in the list are based on survey data from a large number of sources, comprising both casual records and systematic surveys, collected from a variety of habitats using a range of sampling methods and at different times of year. The diversity of species recorded is also influenced by the ease of recording and identification, and the interests of specialist working in the area. For example, large and morphologically distinctive species such as hoverflies are more commonly recorded than fungus gnats, which are small dark flies usually less than 2mm long. Therefore, considerable care is required when interpreting the information derived from the checklist as it contains temporal, geographical and sampling biases. This is a common feature of many taxonomic checklists where a large proportion of the data are derived from a wide range of sources.

Waterston (198) and Skidmore do not quote their sources for each species and provide little additional information other than the islands where a species has been recorded. Therefore, for some species it has not been possible to include the original source. Additional information will be added as the research progresses.

Skidmore (2008) includes some unpublished material and these records are included as “cited by”. Some of the published material included sufficient information to form a coherent biological record and these are included in the OHBR dataset “Outer Hebrides Insect Records from Literature” on the National Biodiversity Network Atlas<sup>1</sup>.

The sources also include references to records on the NBN Atlas from other organisations<sup>3</sup> e.g. Biological Records Centre (BRC), where records pre-date those in the OHBR Insect dataset. It should be noted that there are differences in the nomenclature used on the NBN Atlas and the current edition of the UK Diptera Checklist (Chandler 2021). The use of a different synonym on NBN Atlas is recorded in the comments for each species.

Checklists are always a work in progress, and subject to revision as new species are recorded, and “doubtful” species either confirmed or removed from the list. The first version of this list was compiled in 2019 and in the intervening period we have added 15 species which had not previously been recorded in the islands and 32 species, which had previously only been recorded in published literature.

Comments on the status of any species on the list or additional information is always appreciated.

A bibliography of sources accompanies this list and a more extensive list of literature relating to the natural history of the Outer Hebrides can be found on the Outer Hebrides Natural History Bibliography website<sup>2</sup>.

Christine Johnson

Outer Hebrides Biological Recording

1. National Biodiversity Network Atlas at <http://www.nbnatlas.org>
2. Outer Hebrides Natural History Bibliography website at <http://www.ohbrbiblio.org.uk/>
3. Sources cited for individual species from data downloaded from the NBN Atlas (<http://nbnatlas.org>. Accessed 20 October 2021):

**Biological Records Center (BRC):** records from the following datasets:

Heleomyzid Recording Scheme. [2021] Records verified via iRecord.

Records provided by UK Crane-fly Recording Scheme, accessed through NBN Atlas website.

Records provided by Tachinid Recording Scheme, accessed through NBN Atlas website.

UK Crane-fly Recording Scheme [2021]. Records verified via iRecord.

Records provided by Brachycera (Diptera) records from Britain and Ireland to 1990, accessed through NBN Atlas website.

Records provided by Muscidae (Diptera) records from Britain and Ireland to 1985, accessed through NBN Atlas website.

Records provided by Sepsidae (Diptera) records from Britain and Ireland to 1985, accessed through NBN Atlas website.

Dipterists Forum (2021). Dipterists Forum - Recording Scheme - Stilt & Stalk Flies. Occurrence dataset on the NBN Atlas

**National Trust for Scotland (NTS)**

National Trust for Scotland (2021). National Trust for Scotland Species Records. Occurrence dataset on the NBN Atlas

<b>Tipuloidea Craneflies</b>	
<b>Tipulidae - Long-palped Craneflies</b>	
<i>Dolichozepea albipes</i> (Ström, 1768)	Skidmore (2008); NBN: BRC 1974 (?). St Kilda records only.
<i>Nephrotoma appendiculata</i> (Pierre, 1919)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013-2018.
<i>Nephrotoma cornicina</i> (Linnaeus, 1758)	Skidmore (1994, 2008); NBN: BRC 1970, OHBR 2019-2021.
<i>Nephrotoma flavescens</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936) as <i>Pachyrrhina lineata</i> , Skidmore (2008); NBN: OHBR 2013 Mingulay.
<i>Nephrotoma submaculosa</i> Edwards, 1928	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR BRC 1970-2002, 2012-2017, 2021.
<i>Prionocera turcica</i> (Fabricius, 1787)	Whitely, Garland, Hancock (1994), Skidmore (2008): NBN: BRC 1969, 1988.
<i>Tipula alpium</i> Bergroth, 1888	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: BRC 1974-1981, OHBR 2018, BRC 1974-1981.
<i>Tipula cheethami</i> Edwards, 1924	Skidmore (2008).
<i>Tipula confusa</i> van der Wulp, 1883	Evans (1915) as <i>T. marmorata</i> Butt Lewis lighthouse, Waterston (1981) as <i>T. marmorata</i> , Skidmore (1994), Skidmore (2008) cites Bratton 1987; NBN: BRC 1995-1997, OHBR 2019-2021.
<i>Tipula fulvipennis</i> De Geer, 1776	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Tipula lateralis</i> Meigen, 1804	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2013, 2019: BRC 1970-1988.
<i>Tipula limbata</i> Zetterstedt, [1838]	NBN: OHBR 2018 first record.
<i>Tipula luna</i> Westhoff, 1879	NBN: OHBR 2020 first record.
<i>Tipula lunata</i> Linnaeus, 1758	Skidmore (2008). NBN: OHBR 2021
<i>Tipula luteipennis</i> Meigen, 1830	NBN: OHBR 2020-2021. 2020 first record.
<i>Tipula maxima</i> Poda, 1761	NBN: OHBR 2018 first record.
<i>Tipula melanoceros</i> Schummel, 1833	NBN: OHBR 2018 first record.
<i>Tipula montana</i> Curtis, 1834	NBN: OHBR 2013 first record.
<i>Tipula oleracea</i> Linnaeus, 1758	Lack (1932), Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: BRC 1962-1989, OHBR 2013-2021.
<i>Tipula pagana</i> Meigen, 1818	NBN: OHBR 2012-2019, 2021. OHBR 2012 first record.
<i>Tipula paludosa</i> Meigen, 1830	Forrest, Waterston & Watson (1936), Skidmore (1994), Skidmore (2008) cites Roper 1995, Parker 1997; NBN: BRC 1962-1997, OHBR 2013-2021.
<i>Tipula rufina</i> Meigen, 1818	Evans (1915) Butt Lewis lighthouse, Skidmore (1994, 2008), Hamilton (1963); NBN: BRC 1974-1979, OHBR 2010-2021.
<i>Tipula scripta</i> Meigen, 1830	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: BRC 1974, 1988.
<i>Tipula subcunctans</i> Alexander, 1921	Waterston (1981) as <i>Tipula czizeki</i> , (Skidmore 2008); NBN: BRC 1998, 2002(?).
<i>Tipula subnodicornis</i> Zetterstedt, [1838]	Skidmore (2008); NBN: BRC 1975.
<i>Tipula variicornis</i> Schummel, 1833	Skidmore (2008) cites Roper 1995; NBN: BRC 1975.
<i>Tipula varipennis</i> Meigen, 1818	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: BRC 1974-1998, OHBR 2021.
<b>Pediciidae - Hairy-eyed Craneflies</b>	
<i>Dicranota exclusa</i> (Walker, 1848)	Skidmore (2008).

<i>Pedicia rivosa</i> (Linnaeus, 1758)	Skidmore (2008); NBN: OHBR 2012-2019, 2021
<i>Tricyphona immaculata</i> (Meigen, 1804)	Skidmore (2008) cites Barron 1987, Skidmore 1994; NBN: BRC 1962, 1997, OHBR 2013, 2018-2021.
<b>Limoniidae - Short-palped Craneflies</b>	
<i>Antocha vitripennis</i> (Meigen, 1830)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Austrolimnophila ochracea</i> (Meigen, 1804)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Dicranomyia autumnalis</i> (Staeger, 1840)	Skidmore (1994), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Bratton 1987, Roper 1995; NBN: BRC 1970 - Monachs, OHBR 2010-2013.
<i>Dicranomyia chorea</i> (Meigen, 1818)	Waterston (1981) as <i>Limonia chorea</i> , Skidmore (2018); NBN: BRC 2002, 1973; OHBR 2013 Mingulay.
<i>Dicranomyia didyma</i> (Meigen, 1804)	NBN: OHBR 2019-2021, 2019 first record.
<i>Dicranomyia goritiensis</i> (Mik, 1864)	NBN: OHBR 2013 Mingulay first record.
<i>Dicranomyia mitis</i> (Meigen, 1830)	Skidmore (2008) cites Roper 1995; NBN: OHBR 2013 - Mingulay.
<i>Dicranomyia modesta</i> (Meigen, 1818)	Waterston (1981) as <i>Limonia modesta</i> , Skidmore (1994, 2008); NBN: OHBR 2021.
<i>Dicranomyia morio</i> (Fabricius, 1787)	Forrest, Waterston & Watson (1936), Skidmore (1994, 2008); NBN: BRC 1969 - Monachs.
<i>Dicranomyia sera</i> (Walker, 1848)	Skidmore (2008). St Kilda records only.
<i>Dicranomyia stigmatica</i> (Meigen, 1830)	Skidmore (2008).
<i>Dicranomyia ventralis</i> (Schummel, 1829)	Skidmore (2008); NBN: BRC 1969 - Monachs, OHBR 2019.
<i>Dicranophragma nemorale</i> (Meigen, 1818)	Whitely, Garland, Hancock (1994) as <i>Limnophila nemorale</i> , Skidmore (2008); NBN: BRC 1996, OHBR 2013- Mingulay, 2019-2021.
<i>Dicranophragma separatum</i> (Walker, 1848)	Whitely, Garland, Hancock (1994) as <i>Limnophila separatum</i> , Skidmore (1994, 2008).
<i>Erioconopa diuturna</i> (Walker, 1848)	Skidmore (2008).
<i>Erioconopa trivialis</i> (Meigen, 1818)	Lack (1932) St Kilda, Whitely, Garland, Hancock (1994) as <i>Ericoptera trivialis</i> , Skidmore (1994, 2008).
<i>Erioptera fuscipennis</i> Meigen, 1818	Lack (1932) St Kilda, Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: BRC 1970 - Monachs, OHBR 2021.
<i>Erioptera lutea</i> Meigen, 1804	Skidmore (2008) cites Roper 1995, BRC 1952 Broomfield & Vardy; NBN: OHBR 2019.
<i>Erioptera squalida</i> Loew, 1871	NBN: OHBR 2020-2021. OHBR 2020 first record.
<i>Euphylidorea meigenii</i> (Verrall, 1886)	Lack 1931 St Kilda, Whitely, Garland, Hancock (1994) as <i>Limnophila meigenii</i> , Skidmore (2008); NBN: BRC 1962 -2002, OHBR 2010, 2021.
<i>Euphylidorea phaeostigma</i> (Schummel, 1829)	Skidmore (2008). St Kilda records only.
<i>Gonomyia conoviensis</i> Barnes, 1924	NBN: OHBR 2013 first record.
<i>Gonomyia dentata</i> de Meijere, 1920	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Limonia nubeculosa</i> Meigen, 1804	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: BRC 2002, OHBR 2018, 2020-2021.
<i>Limonia trivittata</i> (Schummel, 1829)	Forrest, Waterston & Watson (1936) as <i>Limnobia trivittata</i> , Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Molophilus ater</i> (Meigen, 1804)	NBN: OHBR 2018 first record.
<i>Molophilus griseus</i> (Meigen, 1804)	Skidmore (2008).
<i>Molophilus obscurus</i> (Meigen, 1818)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: BRC 1996, OHBR 2013 Mingulay.
<i>Molophilus occultus</i> de Meijere, 1918	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995.

<i>Molophilus pleuralis</i> de Meijere, 1920	Skidmore (2008).
<i>Molophilus propinquus</i> (Egger, 1863)	Skidmore (2008).
<i>Ormosia hederæ</i> (Curtis, 1831)	Lack (1931), Skidmore (2008); NBN: OHBR 2020.
<i>Ormosia nodulosa</i> (Macquart, 1826)	Skidmore (2008).
<i>Ormosia pseudosimilis</i> (Lundström, 1912)	Whitely, Garland, Hancock (1994), Skidmore 2008.
<i>Ormosia staegeriana</i> Alexander, 1953	Skidmore (2008).
<i>Phylidorea ferruginea</i> (Meigen, 1818)	Skidmore (1995), Skidmore (2008); NBN: BRC 1970, 1989, OHBR 2013 - Mingulay, 2020.
<i>Phylidorea fulvonervosa</i> (Schummel, 1829)	Whitely, Garland, Hancock (1994) as <i>Limnophila fulvonervosa</i> , Skidmore (2008) cites Roper 1995; NBN: BRC 1962 (Broomfield & Vardy).
<i>Phylidorea squalens</i> (Zetterstedt, [1838])	NBN: BRC 1996. BRC 1996 first record.
<i>Rhipidia maculata</i> Meigen, 1818	NBN: OHBR 2020 first record.
<i>Symplecta stictica</i> (Meigen, 1818)	Whitely, Garland, Hancock (1994) as <i>Erioptera stictica</i> , Skidmore (2008); NBN: OHBR 2013 Mingulay.
<i>Tasiocera murina</i> (Meigen, 1818)	Skidmore (2008) cites Roper 1995, Bratton 1987.
<b>Bibionoidea</b>	
<b>Bibionidae - St Mark's Flies</b>	
<i>Biblio clavipes</i> Meigen, 1818	Skidmore (2008) - doubtful. Grimshaw (1914) record from Dale (1883). Old specimen needs to be checked. Included by Skartveit, Whittington & Bland (2013). <b>Requires review.</b>
<i>Biblio johannis</i> (Linnaeus, 1767)	NBN: OHBR 2014 first record.
<i>Biblio lanigerus</i> Meigen, 1818	NBN: OHBR 2021 first record.
<i>Biblio marci</i> (Linnaeus, 1758)	NBN: OHBR 2016, 2019. OHBR 2016 first record.
<i>Biblio nigriventris</i> Haliday, 1833	Skartveit, Whittington & Bland (2013) - Broomfield & Vardy 1962 Lewis.
<i>Biblio pomonae</i> (Fabricius, 1775)	Waterston (1936), Grimshaw (1914) cites Dale 1882, Skidmore (2008), Skartveit, Whittington & Bland (2013); NBN: OHBR 2012-2018, 2020.
<i>Dilophus febrilis</i> (Linnaeus, 1758)	Skidmore (1994, 2008), Skartveit, Whittington & Bland (2013) cite Broomfield & Vardy 1962; NBN: OHBR 2012-2017, 2020-2021.
<i>Dilophus femoratus</i> Meigen, 1804	MacGraw (1994), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995, Skartveit, Whittington & Bland (2013); NBN: OHBR 2010-2015, 2021.
<b>Sciaroidea</b>	
<b>Keroplastidae - Fungus Gnats</b>	
<i>Macrocera centralis</i> Meigen, 1818	Skidmore (2008).
<i>Macrocera fasciata</i> Meigen, 1804	Skidmore (1994, 2008).
<i>Macrocera stigma</i> Curtis, 1837	Skidmore (1994, 2008).
<b>Mycetophilidae - Fungus Gnats</b>	
<i>Acnemia nitidicollis</i> (Meigen, 1818)	NBN: OHBR 2013 Mingulay first record.
<i>Allodia lugens</i> (Wiedemann, 1817)	Skidmore (1994, 2008).
<i>Boletina dubia</i> (Meigen, 1804)	Skidmore (2008); NBN: OHBR 2013 Mingulay.
<i>Boletina plana</i> Walker, 1856	Skidmore (2008). St Kilda records only.
<i>Brevicornu nigrofuscum</i> (Lundström, 1909)	NBN: OHBR 2013 Mingulay first record.
<i>Brevicornu sericoma</i> (Meigen, 1830)	Skidmore (1994, 2008).
<i>Exechia fusca</i> (Meigen, 1804)	Skidmore (1994, 2008).

<i>Leia fascipennis</i> Meigen, 1818	Skidmore (1994, 2008).
<i>Mycetophila unipunctata</i> Meigen, 1818	Skidmore (2008).
<i>Mycetophila britannica</i> Laštovka & Kidd, 1975	Waterston (1981) as <i>M. lineola</i> , Skidmore (2008). Barra records only.
<i>Mycomya fimbriata</i> (Meigen, 1818)	Skidmore (2008). St Kilda records only.
<i>Paratinia sciarina</i> Mik, 1874	NBN: OHBR 2020. OHBR 2020 first record.
<i>Rymosia bifida</i> (Edwards, 1925)	Skidmore (1994, 2008).
<i>Rymosia fasciata</i> (Meigen, 1804)	Skidmore (1994, 2008).
<i>Sciophila hirta</i> Meigen, 1818	Skidmore (2008). St Kilda records only.
<i>Synapha fasciata</i> Meigen, 1818	Skidmore (2008) cites a 1961 record from Hirta. St Kilda records only.
<i>Zygomyia humeralis</i> (Wiedemann, 1817)	Skidmore (1994, 2008).
<b>Sciaridae - Black fungus-gnats</b>	
<i>Austrosciara hyalipennis</i> (Meigen, 1804)	Waterston (198) as <i>Sciara autumnali</i> , Skidmore (2008) as <i>Ctenosciara hyalipennis</i> cites Buckland 1985 archaeological excavation.
<i>Bradysia nitidicollis</i> (Meigen, 1818)	Waterston (198) as <i>Sciara nitidicollis</i> , Skidmore (2008).
<i>Bradysia normalis</i> Frey, 1948	Skidmore (2008).
<i>Corynoptera postglobiformis</i> Mohrig, 1993	Skidmore (2008).
<i>Cratyna noblis</i> (Winnertz, 1867)	Skidmore (2008).
<i>Phytosciara flavipes</i> (Meigen, 1804)	Waterston (198) as <i>Sciara flavipes</i> , Skidmore (2008).
<i>Schwenckfeldina carbonaria</i> (Meigen, 1830)	NBN: OHBR 2021 first record.
<i>Trichosia morio</i> (Fabricius, 1794)	Waterston (198) as <i>Trichosia caudata</i> , Skidmore (2008).
<b>Cecidomyiidae - Gall-midges</b>	
<i>Anisostephus betulinus</i> (Kieffer, 1889)	Skidmore (2008).
<i>Asphondylia ulicis</i> Trail, 1873	Skidmore (2008).
<i>Bayeriola thymicola</i> (Kieffer, 1888)	NBN: OHBR 2013, 2014, 2016. OHBR 2013 first record.
<i>Campylomyza flavipes</i> Meigen, 1818	Skidmore (2008).
<i>Contarinia barbichei</i> (Kieffer, 1890)	Skidmore (2008) noted that the presence of this species required review (Heslop Harrison 1948). Species confirmed in 2014 (OHBR).
<i>Contarinia jacobaeae</i> (Loew, 1850)	Skidmore (2008).
<i>Contarinia petioli</i> (Kieffer, 1898)	Skidmore (2008); NBN: OHBR 2013, 2014.
<i>Contarinia tremulae</i> Kieffer, 1909	Skidmore (2008).
<i>Dasineura affinis</i> (Kieffer, 1886)	Skidmore (2008); NBN: OHBR 2017.
<i>Dasineura angelicae</i> Rübсаamen, 1916	Skidmore (2008).
<i>Dasineura aucupariae</i> (Kieffer, 1909)	Skidmore (2008).
<i>Dasineura dioicae</i> (Rübсаamen, 1895)	Skidmore (2008).
<i>Dasineura engstfeldi</i> (Rübсаamen, 1889)	Skidmore (2008).
<i>Dasineura galiicola</i> (Kieffer, 1909)	Skidmore (2008); NBN: OHBR 2017, 2018.
<i>Dasineura hygrophila</i> (Mik, 1883)	Skidmore (2008).
<i>Dasineura kiefferiana</i> Marchal, 1896	Skidmore (2008).
<i>Dasineura marginemtorquens</i> (Bremsi, 1847)	Waterston (1981) as <i>Rabdophaga marginemtorquen</i> , Skidmore (2008) - doubtful - see Heslop Harrison (1948). <b>Requires confirmation.</b>
<i>Dasineura plicatrix</i> (Kieffer, 1909)	Skidmore (2008).
<i>Dasineura populeti</i> (Rübсаamen, 1889)	Skidmore (2008).
<i>Dasineura pteridicola</i> (Kieffer, 1901)	Skidmore (2008).

<i>Dasineura pustulans</i> (Rübsaamen, 1889)	Skidmore (2008), Heslop Harrison (1948); NBN: OHBR 2014-2016.
<i>Dasineura rosae</i> (Bremi, 1847)	Skidmore (2008); NBN: OHBR 2018.
<i>Dasineura ulmaria</i> (Bremi, 1847)	Skidmore (2008); NBN: OHBR 2013, 2015.
<i>Dasineura urticae</i> (Perris, 1840)	Heslop Harrison (1948), Skidmore (2008); NBN: OHBR 2013-2018.
<i>Geocrypta galii</i> (Loew, 1850)	NBN: OHBR 2013, 2015. OHBR 2013 first record.
<i>Harmandiola globuli</i> (Rübsaamen, 1889)	NBN: OHBR 2014. OHBR 2014 first record.
<i>Iteomyia capreae</i> (Winnertz, 1853)	Heslop Harrison (1948), Skidmore (2008); NBN: OHBR 2014-2018.
<i>Iteomyia major</i> (Kieffer, 1889)	Skidmore (2008); NBN: OHBR 2013-2018.
<i>Janetiella thymi</i> (Kieffer, 1888)	Heslop Harrison (1940), Waterston (1981) and Skidmore (2008) possibly cites Heslop Harrison's record from Fiaray (Sound of Barra).
<i>Jaapiella alpina</i> (F. Löw, 1885)	NBN: OHBR 2019 first record.
<i>Massalongia rubra</i> (Kieffer, 1890)	Skidmore (2008).
<i>Oligotrophus panteli</i> Kieffer, 1898	NBN: HBRG 1997 - Galls on <i>Juniperus communis alpina</i> . HBRG Juniper Gall Survey, 1995- 2006 PF Entwistle. HBRG 1997 first record.
<i>Oligotrophus valerii</i> (Tavares, 1904)	Skidmore (2008).
<i>Rhopalomyia ptarmicae</i> (Vallot, 1849)	Skidmore (2008); NBN: OHBR 2020.
<i>Rabdophaga albipennis</i> (Loew, 1850)	Heslop Harrison (1941) Heslop Harrison (1948), Skidmore (2008) - Records based on material from <i>Salix aurita</i> and <i>S. repens</i> collected by Heslop Harrison, but this species found only in terminal buds of <i>S. alba</i> . <b>Requires confirmation.</b>
<i>Rabdophaga dubiosa</i> Kieffer, 1913	NBN: OHBR 2017. OHBR 2017 first record.
<i>Rabdophaga karschi</i> (Kieffer, 1891)	NBN: OHBR 2018. OHBR 2018 first record.
<i>Rabdophaga pulvini</i> (Kieffer, 1891)	NBN: OHBR 2018. OHBR 2018 first record.
<i>Rabdophaga rosaria</i> (Loew, 1850)	NBN: OHBR 2014, 2017, 2018. Aggregated with <i>R. strobilina</i> on NBN Atlas, but now recognised as a separate species (Chandler 2019). OHBR 2014 first record.
<i>Rabdophaga salicis</i> (Schrank, 1803)	NBN: OHBR 2014-2018. OHBR first record 2014
<i>Rabdophaga strobilina</i> (Bremi, 1847)	Heslop Harrison (1948), Skidmore (2008); NBN: OHBR 2014, 2017-2018. Aggregated with <i>R. rosaria</i> on NBN Atlas, but now recognised as a separate species (Chandler 2019).
<i>Semudobia tarda</i> Roskam, 1977	NBN: OHBR 2014 first record. OHBR 2014 first record.
<b>Psychodoidea</b>	
<b>Psychodidae - Owlet-midges, Mothflies</b>	
<i>Pericoma pseudoexquisita</i> Tonnoir, 1940	Waterston (1981) as <i>P. avicularia</i> , Skidmore (2008).
<i>Psychoda albipennis</i> Zetterstedt, 1850	Skidmore (2008). Only recorded on the Flannan Islands.
<i>Psychoda trinouloso</i> Tonnoir, 1922	Skidmore (2008).
<b>Trichoceroidea</b>	
<b>Trichoceridae - Window-gnats</b>	
<i>Trichocera hiemalis</i> (De Geer, 1776)	NBN: OHBR 2021. OHBR 2021 first record.
<i>Trichocera major</i> Edwards, 1921	NBN: OHBR 2020. OHBR 2020 first record.
<i>Trichocera regelationis</i> (Linnaeus, 1758)	Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2021.
<b>Anisopodoidea</b>	
<b>Anisopodidae - Window-gnats</b>	
<i>Sylvicola cinctus</i> (Fabricius, 1787)	Skidmore (1994), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997, Roper 1995; NBN: OHBR 2014, 2018-2021.

<i>Sylvicola fenestralis</i> (Scopoli, 1763)	Forrest, Waterson & Watson (1936) as <i>Phyrnus (Rhyphus) fenestralis</i> , Skidmore (2008) includes this species as doubtful. <b>Requires review.</b>
<i>Sylvicola punctatus</i> (Fabricius, 1787)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2018-2021.
<i>Sylvicola zetterstedti</i> (Edwards, 1923)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<b>Scatopsoidea</b>	
<b>Scatopsidae - Black Scavenger Flies</b>	
<i>Scatopse notata</i> (Linnaeus, 1758)	Grimshaw (1905) Flannan Islands. Skidmore (2008); NBN: OHBR 2013.
<i>Thripomorpha halterata</i> (Meigen, 1838)	Waterston (1981) as <i>Rhegmoclema halterat</i> , Skidmore (2008) refers to Freeman & Lane (1985) - only from Scottish Highlands. <b>Requires review.</b>
<i>Thripomorpha verralli</i> (Edwards, 1934)	Skidmore (2008) refers to Freeman & Lane (1985) - southern species. NBN lists 1984 record from Skye (HBRG MacGowan). <b>Requires review.</b>
<b>Ptychopteroidea</b>	
<b>Ptychopteridae - Phantom Craneflies</b>	
<i>Ptychoptera albimana</i> (Fabricius, 1787)	Skidmore (1994, 2008); NBN: OHBR 2014-2016, 2019.
<i>Ptychoptera scutellaris</i> Meigen, 1818	Skidmore (2008).
<b>Culicoidea</b>	
<b>Dixidae - Meniscus-midges</b>	
<i>Dixella aestivalis</i> (Meigen, 1818)	Skidmore (2008).
<i>Dixella martinii</i> (Peus, 1934)	Vardy & Broomfield 1962 - Lewis.
<b>Chironomoidea</b>	
<b>Thaumaleidae - Trickle-midges</b>	
<i>Thaumalea testacea</i> Ruthe, 1831	Skidmore (2008) cites Beaumont 1994.
<i>Thaumalea verralli</i> Edwards, 1929	Edwards & Collin (1932), Skidmore (2008) cites Beaumont 1994.
<b>Simuliidae - Blackflies</b>	
<i>Simulium aureum</i> Fries, 1824	Skidmore (2008).
<i>Simulium intermedium</i> Roubaud, 1906	Waterston & Lyster (1979), Waterston (1981) as <i>S. nitidifrons</i> , Skidmore (2008).
<i>Simulium latipes</i> (Meigen, 1804)	Waterston (1981), not listed by Skidmore (2008). <b>Requires review.</b>
<i>Simulium ornatum</i> Meigen, 1818	Skidmore (2008).
<i>Simulium reptans</i> (Linnaeus, 1758)	Skidmore (2008).
<i>Simulium venum</i> Macquart, 1826	Skidmore (2008).
<b>Ceratopogonidae - Biting-midges</b>	
<i>Atrichopogon pavidus</i> (Winnertz, 1852)	Skidmore (2008).
<i>Brachypogon sociabilis</i> (Goetghebuer, 1920)	Waterston (1981) as <i>Isohelea sociabilis</i> , Skidmore (2008).
<i>Culicoides impunctatus</i> Goetghebuer, 1920	Skidmore (2008); NBN: iRecord 2019 (unconfirmed). <b>Requires review.</b>
<i>Culicoides kibunensis</i> Tokunaga, 1937	Skidmore (2008).
<i>Culicoides obsoletus</i> (Meigen, 1818)	Skidmore (2008). St Kilda record(s) only.
<i>Culicoides pictipennis</i> (Staeger, 1839)	Skidmore (2008). St Kilda record(s) only.
<i>Culicoides pulicaris</i> (Linnaeus, 1758)	Skidmore (2008).
<i>Dasyhelea modesta</i> (Winnertz, 1852)	Skidmore (2008) & Waterston (1981) as <i>D. holosericea</i> and <i>D. aestiva</i> synonyms.
<i>Forcipomyia titillans</i> (Winnertz, 1852)	Skidmore (2008).

<i>Palpomyia flavipes</i> (Meigen, 1804)	Forrest, Waterston & Watson (1936), Skidmore (2008).
<i>Palpomyia nigripes</i> (Meigen, 1830)	Skidmore (2008).
<i>Palpomyia quadispinosa</i> Goetghebuer, 1920	Whitely, Garland, Hancock (1994), Skidmore (2008): NBN: iRecord - Whitely 1989, presumably the same record?
<i>Palpomyia spinipes</i> (Meigen in Panzer, 1806)	Skidmore (2008).
<i>Schizohela leucopeza</i> (Meigen, 1804)	Waterston (1981) as <i>Monohelea leucopeza</i> , Skidmore (2008).
<i>Serromyia femorata</i> (Meigen, 1804)	Skidmore (2008).
<i>Serromyia morio</i> (Fabricius, 1775)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: iRecord - Whitely 1989 - presumably the same record from Eriskay?.
<b>Chironomidae - Non-biting Midges</b>	
<i>Ablabesmyia monilis</i> (Linnaeus, 1758)	Skidmore (2008).
<i>Acricotopus lucens</i> (Zetterstedt, 1850)	Skidmore (2008).
<i>Arctopelopia griseipennis</i> (van der Wulp, 1859)	Skidmore (2008).
<i>Brillia bifida</i> (Kieffer, 1909)	Waterston (1981) as <i>B. modesta</i> , Skidmore (2008).
<i>Bryophaenocladus vernalis</i> (Goetghebuer, 1921)	Skidmore (2008).
<i>Chaetocladius dissipatus</i> (Edwards, 1929)	Skidmore (2008) and Waterston (1981) Flannan Islands.
<i>Chaetocladius melaleucus</i> (Meigen, 1818)	Skidmore (2008). St Kilda records only
<i>Chaetocladius perennis</i> (Meigen, 1830)	Skidmore (2008).
<i>Chironomus aprilinus</i> Meigen, 1830	Skidmore (2008).
<i>Chironomus longistylus</i> Goetghebuer, 1921	Skidmore (2008).
<i>Chironomus plumosus</i> (Linnaeus, 1758)	Waterston & Lyster (1979), Skidmore (2008). Also listed as <i>C. annularis</i> synonym by Skidmore (2008) and Waterston (1981); NBN: OHBR 2020.
<i>Chironomus salinarius</i> Kieffer in Thienemann, 1915	Skidmore (2008) cites Buckland 1988 (archaeological dig).
<i>Chironomus tentans</i> Fabricius, 1805	Skidmore (2008).
<i>Cladopelma viridulum</i> (Linnaeus, 1767)	Waterston & Lyster (1979), Skidmore (2008).
<i>Clunio marinus</i> Haliday, 1855	Skidmore (2008).
<i>Conchapelopia melanops</i> (Meigen, 1818)	Skidmore (2008).
<i>Corynoneura scutellata</i> Winnertz, 1846	Skidmore (2008).
<i>Cricotopus annulator</i> Goetghebuer, 1927	Skidmore (2008).
<i>Cricotopus caducus</i> Hirvenoja, 1973	Skidmore (2008) cites Langford & Ruse (2005) first British record.
<i>Cricotopus fuscus</i> (Kieffer, 1909)	Skidmore (2008).
<i>Cricotopus obnixus</i> (Walker, 1856)	Bland (1994).
<i>Cricotopus sylvestris</i> (Fabricius, 1794)	Skidmore (2008).
<i>Cricotopus tricinctus</i> (Meigen, 1818)	Skidmore (2008) cites Bland & Rotherhay (1994).
<i>Cryptochironomus supplicans</i> (Meigen, 1830)	Waterston & Lyster (1979), Skidmore (2008).
<i>Demeijerea rufipes</i> (Linnaeus, 1761)	Skidmore (2008).
<i>Demicryptochironomus vulneratus</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Diamesa tonsa</i> (Haliday in Walker, 1856)	Skidmore (2008) St Kilda as <i>Diamesa culicoides</i> .
<i>Endochironomus albipennis</i> (Meigen, 1830)	Skidmore (2008).
<i>Glyptotendipes glaucus</i> (Meigen, 1818)	Skidmore (2008).
<i>Glyptotendipes pallens</i> (Meigen, 1804)	Waterston & Lyster (1979) as <i>G. pallens f glaucus</i> , Waterston (1981). Not listed by Skidmore (2008). <b>Requires review</b>



<i>Glyptotendipes viridis</i> (Macquart, 1834)	Unchecked by Skidmore (2008) as at the time <i>G. viridis</i> synonym of <i>G. imbecillis</i> , but <i>viridis</i> is now listed as a species. <b>Requires review</b>
<i>Halocladus variabilis</i> (Staeger, 1839)	Skidmore (2008) cites Buckland 1988 (archaeological dig).
<i>Halocladus varians</i> (Staeger, 1839)	Skidmore (2008).
<i>Heterotrissocladius marcidus</i> (Walker, 1856)	Skidmore (2008).
<i>Macropelopia adauca</i> Kieffer in Thienemann & Kieffer, 1916	Skidmore (2008).
<i>Macropelopia nebulosa</i> (Meigen, 1804)	Skidmore (2008).
<i>Macropelopia notata</i> (Meigen, 1818)	Skidmore (2008).
<i>Metriocnemus eurynotus</i> (Holmgren, 1883)	Skidmore (2008).
<i>Metriocnemus fuscipes</i> (Meigen, 1818)	Waterston & Lyster (1979), Skidmore (2008).
<i>Metriocnemus picipes</i> (Meigen, 1818)	Skidmore (2008).
<i>Micropsectra atrofasciata</i> (Kieffer, 1911)	Skidmore (2008).
<i>Microtendipes chloris</i> (Meigen, 1818)	Waterston & Lyster (1979), Skidmore (2008).
<i>Orthocladus frigidus</i> (Zetterstedt, 1838)	Skidmore (2008). St Kilda only
<i>Orthocladus obumbratus</i> Kieffer, 1911	Skidmore (2008), Waterston (1981) as <i>Orthocladus rhyacobius</i> . St Kilda only.
<i>Parachironomus gracilior</i> (Kieffer, 1918)	Waterston & Lyster (1979), Skidmore (2008) as <i>Parachironomus arcuatus</i> .
<i>Parachironomus biannulatus</i> (Staeger, 1839)	Waterston & Lyster (1979), Skidmore (2008).
<i>Parachironomus vitiosus</i> (Goetghebuer, 1921)	Waterston & Lyster (1979), Skidmore (2008).
<i>Paramerina cingulata</i> (Walker, 1856)	Skidmore (2008).
<i>Paratanytarsus tenuis</i> (Meigen, 1830)	Skidmore (2008).
<i>Paratrichocladus rufiventris</i> (Meigen, 1830)	Skidmore (2008). St Kilda only
<i>Phaenopsectra flavipes</i> (Meigen, 1818)	Skidmore (2008).
<i>Polypedilum albicorne</i> (Meigen, 1838)	Skidmore (2008).
<i>Polypedilum arundineti</i> (Goetghebuer, 1921)	Waterston & Lyster (1979), Skidmore (2008).
<i>Procladius choreus</i> (Meigen, 1804)	Skidmore (2008).
<i>Procladius crassinervis</i> (Zetterstedt, [1838])	Waterston & Lyster (1979), Skidmore (2008).
<i>Procladius culiciformis</i> (Linnaeus, 1767)	Waterston & Lyster (1979), Skidmore (2008).
<i>Procladius sagittalis</i> (Kieffer, 1909)	Skidmore (2008) cites Bratton 1987.
<i>Psectrocladius sordidellus</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Pseudochironomus prasinatus</i> (Staeger, 1839)	Skidmore (2008).
<i>Pseudorthocladus filiformis</i> (Kieffer in Kieffer & Thienemann, 1908)	Waterston (1981) as <i>Psectrocladius turfaceous</i> , Skidmore (2008).
<i>Rheotanytarsus</i> Thienemann & Bause, 1913	Waterston & Lyster (1979), Skidmore (2008).
<i>Smittia aterrima</i> (Meigen, 1818)	Skidmore (2008). St Kilda only.
<i>Smittia pratorum</i> (Goetghebuer, 1927)	Skidmore (2008).
<i>Tanytus</i> Meigen, 1803	NBN: OHBR 2017 - larva. OHBR 2017 first record.
<i>Telmatogeton japonicus</i> Tokunaga, 1933	NBN: OHBR 2010. OHBR 2010 first record.
<i>Trissopelopia longimana</i> (Staeger, 1839)	Waterston & Lyster (1979), Skidmore (2008).

<b>Tabanoidea</b>	
<b>Rhagionidae - Snipeflies</b>	
<i>Chrysopilus cristatus</i> (Fabricius, 1775)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997, 1999, 2004; NBN: OHBR 2008-2017, 2019.
<i>Rhagio notatus</i> (Meigen, 1820)	Skidmore (2008).
<i>Rhagio scolopaceus</i> (Linnaeus, 1758)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2009-2021.
<i>Rhagio annulatus</i> , <i>R. scolopaceus</i> , <i>R. strigosus</i> , <i>R. tringarius</i> , <i>R. vitripennis</i>	<i>Rhagio vitripennis</i> (Meigen, 1820 - Leptis) and <i>R. maculatus</i> (De Geer, 1776 - Nemotelus) were recorded by Krizelj (1971) from the Monach Islands and are both listed from throughout northern Europe in Majer (1988). These records have not been substantiated and undoubtedly relate to continental locations with similar names. Records of <i>tringarius</i> , <i>strigosus</i> , <i>notatus</i> and <i>annulatus</i> from the Monach Islands, in the same paper, should also be discounted (Chandler 2021).
<b>Tabanidae - Horseflies</b>	
<i>Chrysops caecutiens</i> (Linnaeus, 1758)	Skidmore (2008) doubtful record St Kilda; NBN: OHBR 2018.
<i>Chrysops relictus</i> Meigen, 1820	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 2007; NBN: BRC 1946, OHBR 2008-2021.
<i>Haematopota crassicornis</i> Wahlberg, 1848	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1999; NBN: BRC 1945, OHBR 2017-2021.
<i>Haematopota pluvialis</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Parker 1997, 1999, 2007; NBN: BRC 1945, 1960, OHBR 2008-2019.
<i>Hybomitra montana</i> (Meigen, 1820)	Forrest, Waterston & Watson (1936) as <i>Theriopectes montanus</i> , Whitely, Garland, Hancock (1994), Skidmore (2008). NBN: OHBR 2020, 2021
<b>Stratiomyoidea</b>	
<b>Stratiomyidae - Soldierflies</b>	
<i>Beris vallata</i> (Forster, 1771)	Skidmore (2008); NBN: OHBR 2012-2017, 2021.
<i>Chloromyia formosa</i> (Scopoli, 1763)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995, Parker 1997; NBN: OHBR 2007-2018.
<i>Nemotelus nigrinus</i> Fallén, 1817	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Nemotelus uliginosus</i> (Linnaeus, 1767)	Skidmore (2008), Bratton (2012); NBN: OHBR 2012-2014.
<b>Asiloidea</b>	
<b>Therevidae - Stiletto Flies</b>	
<i>Acrosathe annulata</i> (Fabricius, 1805)	Skidmore (2008).
<i>Thereva bipunctata</i> Meigen, 1820	Skidmore (2008); NBN: OHBR 2012.
<i>Thereva nobilitata</i> (Fabricius, 1775)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 2007; NBN: OHBR 2013.
<i>Thereva plebeja</i> (Linnaeus, 1758)	Skidmore (2008) cites C. W Dale - probably error for <i>T. nobilitata</i> as <i>T. plebja</i> has a southern distribution. Included by Waterston (1981) as <i>T. plebeia</i> , 19th century record from North Uist - presumably C W Dale. <b>Requires confirmation.</b>
<b>Asilidae</b>	
<i>Dioctria baumhaueri</i> Meigen, 1820	Neill, W & Macdonal, M. (2019). NBN: OHR first record 2019

<b>Empidoidea</b>	
<b>Hybotidae - Dance Flies</b>	
<i>Bicellaria pilosa</i> Lundbeck, 1910	Skidmore (2008).
<i>Bicellaria spuria</i> (Fallén, 1816)	Not listed by Waterston (1981), Skidmore considers old records for Lewis and South Uist to be either <i>B. sulcata</i> or <i>B. vana</i> . <b>Requires review.</b>
<i>Chersodromia incana</i> Haliday in Walker, 1851	NNB: OHBR 2013 Mingulay first record.
<i>Chersodromia arenaria</i> (Haliday, 1833)	Skidmore (2008). Single record St Kilda.
<i>Chersodromia hirta</i> (Walker, 1835)	Skidmore (1994, 2008).
<i>Crossopalpus curvipes</i> (Meigen, 1822)	Skidmore (1994) as <i>Drapetis curvipes</i> , Skidmore (2008).
<i>Hybos culiciformis</i> (Fabricius, 1775)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013 Mingulay.
<i>Hybos femoratus</i> (Müller, 1776)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Platypalpus annulatus</i> (Fallén, 1815)	Forrest, Waterston & Watson (1936) as <i>Tachydromia fulvipes</i> , Skidmore (2008).
<i>Platypalpus ciliaris</i> (Collin, 1926)	MacGowan (1994) described as first record, Skidmore (2008).
<i>Platypalpus longicornis</i> (Meigen, 1822)	Skidmore (1994, 2008).
<i>Platypalpus minutus</i> (Meigen, 1804)	Skidmore (2008).
<i>Platypalpus nigritarsis</i> (Fallén, 1816)	Skidmore (1994, 2008).
<i>Platypalpus notatus</i> (Meigen, 1822)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Platypalpus pallidiventris</i> (Meigen, 1822)	Skidmore (1994, 2008); NBN: OHBR 2013 Mingulay.
<i>Platypalpus pseudofulvipes</i> (Frey, 1909)	MacGowan (1994) as <i>P. coarctatus</i> described as first record, Skidmore (2008).
<i>Platypalpus strigifrons</i> (Zetterstedt, 1849)	Skidmore (1994, 2008); NBN: OHBR 2013 Mingulay.
<i>Tachydromia aemula</i> (Loew, 1864)	Skidmore (1994, 2008).
<i>Tachypeza fuscipennis</i> (Fallén, 1815)	Skidmore (2008).
<i>Tachypeza nubila</i> (Meigen, 1804)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013 Mingulay.
<b>Empididae - Dance Flies</b>	
<i>Trichina clavipes</i> Meigen, 1830	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Chelifera diversicauda</i> Collin, 1927	Skidmore (1994, 2008).
<i>Chelifera monostigma</i> (Meigen, 1822)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Chelifera preclatoria</i> (Fallén, 1816)	Skidmore (1994, 2008).
<i>Clinocera bipunctata</i> (Haliday, 1833)	NBN: OHBR 2013 Mingulay. OHBR 2013 first record.
<i>Clinocera fontinalis</i> (Haliday, 1833)	Skidmore (1994, 2008); NBN: OHBR 2013 Mingulay.
<i>Clinocera stagnalis</i> (Haliday, 1833)	Skidmore (1994, 2008); NBN: OHBR 2013 Mingulay.
<i>Empis borealis</i> Linnaeus, 1758	Skidmore (2008); NBN: OHBR 2013.
<i>Empis livida</i> Linnaeus, 1758	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013-2015.
<i>Empis lucida</i> Zetterstedt, 1838	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Empis stercorea</i> Linnaeus, 1761	Skidmore (2008); NBN: OHBR 2013, 2017.
<i>Empis tessellata</i> Fabricius, 1794	Skidmore (2008). NBN: OHBR 2021
<i>Empis verralli</i> Collin, 1927	Skidmore (2008) cites Roper 1995: NBN; OHBR 2013.

<i>Hemerodromia baetica</i> Collin, 1927	MacGowan (1994) described as first record. Not listed by Skidmore (2008). <b>Requires confirmation.</b>
<i>Hemerodromia raptor</i> Meigen, 1830	Skidmore (2008).
<i>Hilara cantabrica</i> Strobl, 1899	MacGowan (1994), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Hilara chorica</i> (Fallén, 1816)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2013 Mingulay.
<i>Hilara clavipes</i> (Harris, 1780)	MacGowan (1994) as <i>H. matrona</i> , Skidmore (2008).
<i>Hilara interstincta</i> (Fallén, 1816)	MacGowan (1994) described as first record, Skidmore (2008).
<i>Hilara longivittata</i> Zetterstedt, 1842	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Hilara maura</i> (Fabricius, 1776)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Phyllodromia melanocephala</i> (Fabricius, 1794)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Rhamphomyia hybotina</i> (Zetterstedt, [1838])	Skidmore (1994, 2008).
<i>Rhamphomyia morio</i> Zetterstedt, 1838	Skidmore (2008).
<i>Rhamphomyia nitidula</i> Zetterstedt, 1842	Skidmore (2008).
<i>Rhamphomyia pilifer</i> Meigen, 1838	MacGowan (1994) as <i>R. dentipes</i> described as first record. Not listed by Skidmore (2008). <b>Requires confirmation.</b>
<i>Rhamphomyia sciarina</i> (Fallén, 1816)	MacGowan (1994) described as first record, Skidmore (1994, 2008).
<i>Rhamphomyia stigmosa</i> Macquart, 1827	MacGowan (1994) described as first record, Skidmore (2008).
<i>Rhamphomyia tibiella</i> Meigen, 1822	MacGowan (1994) described as first record, Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Rhamphomyia variabilis</i> (Fallén, 1816)	Skidmore (1994, 2008); NBN: OHBR 2013, 2018.
<b>Dolichopodidae - Long-legged Flies</b>	
<i>Achalcus flavicollis</i> (Meigen, 1824)	Skidmore (2008).
<i>Aphrosylus celtiber</i> Haliday, 1855	MacGowan 1987, MacGowan (1994) described as first record, Skidmore (2008); NBN: OHBR 2009-2017.
<i>Aphrosylus ferox</i> Haliday in Walker, 1851	MacGowan (1987), MacGowan (1994) as first record, Skidmore (2008); NBN: OHBR 2013.
<i>Aphrosylus raptor</i> Haliday in Walker, 1851	Skidmore (2008).
<i>Argyra argentina</i> (Meigen, 1824)	Skidmore (2008); NBN: OHBR 2012-2013.
<i>Argyra argyria</i> (Meigen, 1824)	Skidmore (2008).
<i>Argyra diaphana</i> (Fabricius, 1775)	MacGowan (1987), Skidmore (2008).
<i>Argyra perplexa</i> Becker, 1918	Skidmore (2008).
<i>Argyra vestita</i> (Wiedemann, 1817)	Skidmore (2008).
<i>Campsicnemus alpinus</i> (Haliday, 1833)	Skidmore (2008).
<i>Campsicnemus armatus</i> (Zetterstedt, 1849)	MacGowan (1994) described as first record, Skidmore (1994, 2008).
<i>Campsicnemus curvipes</i> (Fallén, 1823)	Skidmore (1994, 2008).
<i>Campsicnemus loripes</i> (Haliday, 1832)	Forrest, Waterston & Watson (1936), MacGowan (1987), Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Campsicnemus scambus</i> (Fallén, 1823)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2013.
<i>Chrysotus cilipes</i> Meigen, 1824	NBN: OHBR 2013 - Mingulay first record
<i>Chrysotus gramineus</i> (Fallén, 1823)	Skidmore (2008).
<i>Dolichopus acuticornis</i> Wiedemann, 1817	Forrest, Waterston & Watson (1936), MacGowan (1987), Skidmore (2008) cites Roper 1995.

<i>Dolichopus atratus</i> Meigen, 1824	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2010-2013.
<i>Dolichopus atripes</i> Meigen, 1824	Forrest, Waterston & Watson (1936), MacGowan (1987), Skidmore (1994, 2008).
<i>Dolichopus brevipennis</i> Meigen, 1824	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013.
<i>Dolichopus caligatus</i> Wahlberg, 1850	MacGowan (1987), Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Dolichopus diadema</i> Haliday, 1832	Waterston (1981) as <i>Macrodolichopus diadema</i> , Skidmore (2008). St Kilda records only.
<i>Dolichopus festivus</i> Haliday, 1832	NBN: OHBR 2013 first record.
<i>Dolichopus griseipennis</i> Stannius, 1831	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2013.
<i>Dolichopus lepidus</i> Staeger, 1842	MacGowan (1994) as first record Lewis, Skidmore (2008).
<i>Dolichopus longicornis</i> Stannius, 1831	Skidmore (2008).
<i>Dolichopus longitarsis</i> Stannius, 1832	MacGowan (1994) Flannan Islands, Skidmore (2008).
<i>Dolichopus nubilus</i> Meigen, 1824	MacGowan (1987), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Bacchus 1966 Monach Islands; NBN: OHBR 2012-2013.
<i>Dolichopus pennatus</i> Meigen, 1824	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013.
<i>Dolichopus plumipes</i> (Scopoli, 1763)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2010-2013.
<i>Dolichopus popularis</i> Wiedemann, 1817	MacGowan (1987), MacGowan (1994) described as first record, Skidmore (2008).
<i>Dolichopus rupestris</i> Haliday, 1833	MacGowan (1987), Skidmore (2008).
<i>Dolichopus signifer</i> Haliday, 1838	Skidmore (2008) - doubtful. See MacGowan (1986, 1994). Dale (1884) records <i>D. punctum</i> which Grimshaw (1914) considered doubtful. <b>Requires review.</b>
<i>Dolichopus simplex</i> Meigen, 1824	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2012.
<i>Dolichopus trivialis</i> Haliday, 1832	Forrest, Waterston & Watson (1936), MacGowan (1987), Skidmore (1994, 2008).
<i>Dolichopus ungulatus</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2012.
<i>Dolichopus urbanus</i> Meigen, 1824	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013, 2021.
<i>Dolichopus vitripennis</i> Meigen, 1824	Skidmore (2008) cites Roper 1995.
<i>Gymnopternus aerosus</i> (Fallén, 1823)	Forrest, Waterston & Watson (1936) as <i>Hercostomus aerosus</i> , Skidmore (2008).
<i>Gymnopternus cupreus</i> (Fallén, 1823)	Skidmore (2008) - Vardy & Bromfield 1962 Stornoway, Lewis.
<i>Hercostomus germanus</i> (Wiedemann, 1817)	NBN: OHBR 2012 first record.
<i>Hydrophorus albiceps</i> Frey, 1915	MacGowan (1994) described as first record, Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Hydrophorus balticus</i> (Meigen, 1824)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Hydrophorus nebulosus</i> (Fallén, 1823)	Skidmore (2008).
<i>Hydrophorus praecox</i> (Lehmann, 1822)	Skidmore (2008).
<i>Liancalus virens</i> (Scopoli, 1763)	Forrest, Waterston & Watson (1936), Skidmore (2008); NBN: OHBR 2013 Mingulay.

<i>Medetera jugalis</i> Collin, 1941	“sparse records from Highland and the Western Isles” (Drake 2018). McGowan notes “very rare in Scotland”. Skidmore (2008) cites a record from Skye from 1990. <b>Requires review.</b>
<i>Medetera petrophiloides</i> Parent, 1925	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Medetera truncorum</i> Meigen, 1824	MacGowan (1994) described as first record, Skidmore (2008).
<i>Micromorphus albipes</i> (Zetterstedt, 1843)	Skidmore (2008).
<i>Microphor crassipes</i> Macquart, 1827	Skidmore (2008) - Collected by C.W. Dale in St Kilda, specimen Oxford Museum (Davies 1981).
<i>Rhaphium brevicorne</i> Curtis, 1835	NBN: OHBR 2013 Mingulay first record.
<i>Rhaphium consobrinum</i> Zetterstedt, 1843	MacGowan (1987), MacGowan (1994) described as first record, Skidmore (2008).
<i>Rhaphium crassipes</i> (Meigen, 1824)	MacGowan (1994) described as first record Lewis, Skidmore (2008).
<i>Rhaphium monotrichum</i> Loew, 1850	Skidmore (2008).
<i>Sciapus zonatulus</i> (Zetterstedt, 1843)	Skidmore (2008) - Grimshaw (1914) probably <i>S. zonatulus</i> . MacGowan (1987, 1994) records later corrected to <i>S. zonatulus</i> .
<i>Sympycnus cirripes</i> (Haliday in Walker, 1851)	MacGowan (1987), Skidmore (1994, 2008).
<i>Sympycnus pulicarius</i> (Fallén, 1823)	Grimshaw (1905) Flannan Islands and Forrest, Waterston & Watson (1936) as <i>S. annulipes</i> , later as <i>S. desoutteri</i> by Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2012-2013.
<i>Syntormon denticulatum</i> (Zetterstedt, 1843)	As <i>S. denticulatus</i> MacGowan (1994) described as first record, Skidmore (2008).
<i>Syntormon monilis</i> (Fabricius, 1794)	As <i>S. monile</i> Skidmore (2008).
<i>Syntormon pallipes</i> (Fabricius, 1794)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2012.
<i>Syntormon pumilus</i> (Meigen, 1824)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Syntormon tarsatus</i> (Fallén, 1823)	Forrest, Waterston & Watson (1936), MacGowan (1987), Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Tachytrechus notatus</i> (Stannius, 1831)	Skidmore (2008).
<i>Thrypticus bellus</i> Loew, 1869	MacGowan (1994) described as first record, Skidmore (2008).
<i>Thrypticus divisus</i> (Strobl, 1880)	MacGowan (1994) described as first record, Skidmore (2008) quotes Falk and Crossley (2005) who cite distribution in Scotland to be Easternness and Western Isles.
<b>Platyezoidea</b>	
<b>Phoridae - Scuttle Flies</b>	
<i>Phora stictica</i> Meigen, 1830	Skidmore (2008) cites Barron 1987.
<b>Lonchopteroidea</b>	
<b>Lonchopteridae - Pointed-wing Flies</b>	
<i>Lonchoptera bifurcata</i> (Fallén, 1823)	Skidmore (1994, 2008).
<i>Lonchoptera lutea</i> Panzer, 1809	MacGowan (1994) Flannan Islands, Skidmore (1994), Skidmore (2008) cites Roper 1995, Buckland 1988; NBN: OHBR 2013 Mingulay.
<b>Syrphoidea</b>	
<b>Syrphidae - Hoverflies</b>	
<i>Anasimyia lineata</i> (Fabricius, 1787)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997; NBN: OHBR 2018.
<i>Anasimyia lunulata</i> (Meigen, 1822)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1999.

<i>Cheilosia albitarsis</i> (Meigen, 1822)	NBN: OHBR 2013. OHBR 2013 first record.
<i>Cheilosia bergenstammi</i> Becker, 1894	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997, 1999; NBN: OHBR 1998-2017.
<i>Cheilosia fraterna</i> (Meigen, 1830)	NBN: OHBR 2013 first record.
<i>Cheilosia illustrata</i> (Harris, [1780])	Forrest, Waterston & Watson (1936), MacGowan (1987), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Bratton 1987, Parker 1997, 1999; NBN: OHBR 1998-2020.
<i>Cheilosia latifrons</i> (Zetterstedt, 1843)	McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Parker 2007.
<i>Cheilosia pagana</i> (Meigen, 1822)	Forrest, Waterston & Watson (1936), Skidmore (2008).
<i>Chrysotoxum arcuatum</i> (Linnaeus, 1758)	Skidmore (2008).
<i>Chrysotoxum bicinctum</i> (Linnaeus, 1758)	NBN: OHBR 2014. OHBR 2014 first record.
<i>Dasysyrphus albostriatus</i> (Fallén, 1817)	NBN: OHBR 2012. OHBR 2012 first record.
<i>Dasysyrphus pinastri</i> (De Geer, 1776)	Skidmore (2008) cites a record for Lewis. It is unclear whether this is MacGowan's 1983 record of <i>D. lunulatus</i> Meig which was described as a first record. (MacGowan 1987, 1994). <b>Requires review.</b>
<i>Episyrphus balteatus</i> (De Geer, 1776)	Whitely, Garland, Hancock (1994), MacGowan (1987), Skidmore (1994, 2008) cites Parker 1999; NBN: OHBR 2007-2021.
<i>Eristalinus aeneus</i> (Scopoli, 1763)	Whitely, Garland, Hancock (1994), Bratton (2012), Skidmore (2008) cites Roper 1995 Parker 2007; NBN: OHBR 2010-2013.
<i>Eristalinus sepulchralis</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936) as <i>Eristalis sepulchalis</i> , Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997, 1999, Roper 1995; NBN: OHBR 2007-2013.
<i>Eristalis abusiva</i> Collin, 1931	Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Parker 1999, 2005; NBN: OHBR 2010-2013.
<i>Eristalis arbustorum</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Parker 1997-2007; NBN: OHBR 2009-2021.
<i>Eristalis horticola</i> (De Geer, 1776)	Forrest, Waterston & Watson (1936), Skidmore (2008) cites Parker 2006; NBN: OHBR 2009-2018.
<i>Eristalis intricaria</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), MacGowan (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Smith 1955, Roper 1995. Parker 1997-2007; NBN: OHBR 2002-2021.
<i>Eristalis nemorum</i> (Linnaeus, 1758)	Skidmore (2008) cites Parker 1999; NBN: OHBR 2009-2017.
<i>Eristalis pertinax</i> (Scopoli, 1763)	Skidmore (2008) cites Roper 1995, Parker 1997, 2005; NBN: OHBR 2001-2021.
<i>Eristalis tenax</i> (Linnaeus, 1758)	Skidmore (2008) cites Parker 2002; NBN: OHBR 2010-2017.
<i>Eupeodes corollae</i> (Fabricius, 1794)	Grimshaw (1905) Flannan Islands. Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Parker 1999-2007; NBN: OHBR 2009-2017, 2019, 2021.
<i>Eupeodes latifasciatus</i> (Macquart, 1829)	MacGowan (1994), Skidmore (2008) cites Parker 2004-2007; NBN: OHBR 2008-2017.
<i>Eupeodes lundbecki</i> (Loew, 1843)	Skidmore (2008). Rare vagrant. (Ball & Morris 2013).
<i>Eupeodes luniger</i> (Meigen, 1822)	Grimshaw (1905) Flannan Islands. Skidmore (2008) cites Parker 1997, 1999; NBN: OHBR 2009.
<i>Helophilus hybridus</i> Loew, 1846	Skidmore (1994, 2008); NBN; OHBR 2013-2018.

<i>Helophilus pendulus</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Roper 1995, Parker 1997 - 2007; NBN: OHBR 2008-2021.
<i>Helophilus trivittatus</i> (Fabricius, 1805)	NBN: OHBR 2008, 2013. OHBR 2008 first record.
<i>Lejogaster metallina</i> (Fabricius, 1781)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Parker 1999-2006; NBN: OHBR 2008-2017, 2020.
<i>Leucozona glaucia</i> (Linnaeus, 1758)	Skidmore (2008); NBN: OHBR 2011-2017, 2019-2021.
<i>Leucozona lucorum</i> (Linnaeus, 1758)	NBN: OHBR 2011-2018, 2020-2021. OHBR 2011 first record.
<i>Melangyna lasiophthalma</i> (Zetterstedt, 1843)	NBN: OHBR 2013. OHBR 2013 first record.
<i>Melanogaster aerosa</i> (Loew, 1843)	MacGowan (1994) described as first record, Skidmore (1994, 2008).
<i>Melanogaster hirtella</i> (Loew, 1843)	Forrest, Waterston & Watson (1936) as <i>Chrysogaster hirtella</i> , Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995, Parker 1997-2002; NBN: OHBR 2013-2017.
<i>Melanostoma dubium</i> (Zetterstedt, 1837)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008). The genus <i>Melanostoma</i> is the subject of current investigation and the concept of species recognised here may change. The status of <i>dubium</i> still needs to be resolved Chandler (2021).
<i>Melanostoma mellinum</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Parker 1997- 200; NBN: OHBR 2008-2017.
<i>Melanostoma scalare</i> (Fabricius, 1794)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Parker 1997- 2007; NBN: OHBR 2009-2021.
<i>Meliscaeva auricollis</i> (Meigen, 1822)	Skidmore (2008); NBN: OHBR 2002, 2012, 2019.
<i>Meliscaeva cinctella</i> (Zetterstedt, 1843)	NBN: OHBR 2012, 2013, 2019-2020. OHBR 2012 first record.
<i>Neoascia meticulosa</i> (Scopoli, 1763)	NBN: OHBR first record 2021.
<i>Neoascia podagrica</i> (Fabricius, 1775)	Forrest, Waterston & Watson (1936), Skidmore (2008) cites Parker 2006, 2007; NBN: OHBR 2013, 2014, 2019-2020.
<i>Neoascia tenur</i> (Harris, [1780])	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Parker 1997, 1999, 2004, 2007; NBN: OHBR 2009, 2013.
<i>Parasyrphus punctulatus</i> (Verrall, 1873)	MacGowan (1994) described as first record, Skidmore (2008).
<i>Pipizella viduata</i> (Linnaeus, 1758)	Skidmore (2008) as <i>P. virens</i> but presumed to be to be <i>P. viduata</i> ; NBN: OHBR 2013.
<i>Platycheirus albimanus</i> (Fabricius, 1781)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Roper 1995, Parker 1997-2007; NBN: OHBR 2009-2017, 2020-2021.
<i>Platycheirus angustatus</i> (Zetterstedt, 1843)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997 - 2007; NBN: OHBR 2012.
<i>Platycheirus clypeatus</i> (Meigen, 1822)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), MacGowan (1987), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Roper 1995, Parker 1997-2007; NBN: OHBR 2011-2013.
<i>Platycheirus granditarsus</i> (Forster, 1771)	MacGowan (1987), MacGowan (1994) described as first record, Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997, 1999; NBN: OHBR 2012.
<i>Platycheirus immarginatus</i> (Zetterstedt, 1849)	Whitely, Garland, Hancock (1994), MacGowan (1987), Skidmore (2008).



<i>Platycheirus manicatus</i> (Meigen, 1822)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). (Skidmore (2008) cites Smith 1955, Roper 1995, Parker 1997-2007; NBN: OHBR 2008-2017, 2019-2020.
<i>Platycheirus melanopsis</i> Loew, 1856	NBN: OHBR 2013 first record.
<i>Platycheirus nielsenii</i> Vockeroth, 1990	NBN: OHBR 2013 first record.
<i>Platycheirus occultus</i> Goeldlin de Tiefenau Maibach & Speight, 1990	Skidmore (2008); NBN: OHBR 2013.
<i>Platycheirus peltatus</i> (Meigen, 1822)	Skidmore (1994, 2008).
<i>Platycheirus podagratus</i> (Zetterstedt, [1838])	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1999, 2007; NBN: OHBR 2013.
<i>Platycheirus ramsarensis</i> Goeldlin de Tiefenau Maibach & Speight, 1990	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1999; NBN: OHBR 2009.
<i>Platycheirus scambus</i> (Staeger, 1843)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), MacGowan (1987), Skidmore (2008) cites Parker 1999; NBN: OHBR 2009.
<i>Platycheirus scutatus</i> (Meigen, 1822)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 2004; NBN: OHBR 2013.
<i>Platycheirus splendidus</i> Rotheray, 1998	Skidmore (2008) cites Parker 1999.
<i>Platycheirus sticticus</i> (Meigen, 1822)	MacGowan (1994) described as first record, Skidmore (2008) cites Bratton 1987.
<i>Rhingia campestris</i> Meigen, 1822	Forrest, Waterston & Watson (1936), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Roper 1995, Parker 1997, 1999; NBN: OHBR 1998-2021.
<i>Rhingia rostrata</i> (Linnaeus, 1758)	NBN: OHBR 2021 first record
<i>Scaeva pyrastris</i> (Linnaeus, 1758)	MacGowan (1994) described as first record, Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 2004, 2007; NBN: OHBR 2004-2021.
<i>Sericomyia lappona</i> (Linnaeus, 1758)	Whitely, Garland, Hancock (1994) Skidmore (2008); NBN: OHBR 2014-2018.
<i>Sericomyia silentis</i> (Harris, [1776])	Forrest, Waterston & Watson (1936) as <i>S. borealis</i> , Whitely, Garland, Hancock (1994), Skidmore (1994), McCulloch & Wakeham-Dawson (2001). Skidmore (2008) cites Roper 1995, Parker 1999, 2004; NBN: OHBR 1990-2019.
<i>Sphaerophoria interrupta</i> (Fabricius, 1805)	Forrest, Waterston & Watson (1936), as <i>S. menthastri</i> var. <i>picta</i> , Skidmore (2008) cites Parker 2004, 2007; NBN: OHBR 2012-2013.
<i>Sphaerophoria scripta</i> (Linnaeus, 1758)	Wakeham-Dawson (2007), Skidmore (2008).
<i>Sphegina clunipes</i> (Fallén, 1816)	NBN: OHBR 2014. OHBR 2014 first record.
<i>Syrpitta pipiens</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), MacGowan (1987), Skidmore (2008) cites Parker 1997, 1999, 2007; NBN: OHBR 2009-2019.
<i>Syrphus ribesii</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), MacGowan (1987), Skidmore (2008) cites Parker 2004; NBN: OHBR 2008-2018.
<i>Syrphus torvus</i> Osten Sacken, 1875	MacGowan (1994) described as first record, Skidmore (2008); NBN: OHBR 2012, 2013.
<i>Syrphus vitripennis</i> Meigen, 1822	MacGowan (1987), McCulloch & Wakeham-Dawson (2001). Skidmore (1994, 2008); NBN: OHBR 2002-2018, 2020-2021.

<i>Trichopsomyia flavitarsis</i> (Meigen, 1822)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997; NBN: OHBR 2013.
<i>Tropidia scita</i> (Harris, [1780])	MacGowan (1994) described as first record, Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013-2019.
<i>Volucella bombylans</i> (Linnaeus, 1758)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Smith 1955, Parker 1997, 1999, 2004; NBN: OHBR 2002-2018, 2020, 2021
<i>Volucella pellucens</i> (Linnaeus, 1758)	NBN: OHBR 2010-2017. OHBR 2010 first record.
<i>Xanthandrus comtus</i> (Harris, 1780)	Skidmore (2008)? Migratory (Ball & Morris 2013). Breeding in Scotland (Rotherhay & Bland 1992), recorded in Shetland in 2000. <b>Requires confirmation.</b>
<i>Xylota segnis</i> (Linnaeus, 1758)	NBN: OHBR 2012-2016, 2018. OHBR 2012 first record.
<b>Nerioidea Micropezidae - Stilt-flies</b>	
<b>Micropezidae - Stilt-flies</b>	
<i>Calobata petronella</i> (Linnaeus, 1761)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013, 2015.
<b>Diopsoidea</b>	
<b>Psilidae - Rust Flies</b>	
<i>Chamaepsila atra</i> (Meigen, 1826)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Chamaepsila nigra</i> (Fallén, 1820)	Skidmore (2008) cites Roper 1995.
<i>Chamaepsila nigricornis</i> (Meigen, 1826)	Skidmore (2008); NBN: Dipterists Forum 1974.
<i>Chamaepsila pallida</i> (Fallén, 1820)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Chamaepsila rosae</i> (Fabricius, 1794)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Parker 1999; NBN: OHBR 2020-2021
<i>Loxocera aristata</i> (Panzer, 1801)	Whitely, Garland, Hancock (1994) as <i>Loxocera ichneumone</i> , Skidmore (2008); NBN: Dipterists Forum 2006, OHBR 2020
<b>Tephritoidea</b>	
<b>Palloptheridae - Trembling-wing Flies</b>	
<i>Pallopthera quinquemaculata</i> (Macquart, 1835)	NBN: OHBR 2013 first record
<i>Pallopthera ustulata</i> Fallén, 1820	Forrest, Waterston & Watson (1936), Skidmore (2008).
<b>Piophilidae - Skippers</b>	
<i>Allopiophila vulgaris</i> (Fallén, 1820)	Waterston (1981) as <i>Piophila vulgaris</i> , Skidmore (2008).
<i>Prochyliza nigrimana</i> (Meigen, 1826)	Skidmore (2008).
<i>Prochyliza varipes</i> (Meigen, 1830)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Stearibia nigriceps</i> (Meigen, 1826)	Skidmore (2008) cites Roper 1995.
<b>Ulidiidae - Picture-winged Flies</b>	
<i>Herina frondescentiae</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 1997; NBN: OHBR 2009-20015.
<b>Platystomatidae - Signal Flies</b>	
<i>Rivellia syngenesiae</i> (Fabricius, 1781)	Skidmore (2008) cites Parker 2007.
<b>Tephritidae - Gallflies</b>	
<i>Acidia cognata</i> (Wiedemann, 1817)	NBN: OHBR 2021 first record
<i>Campiglossa absinthii</i> (Fabricius, 1805)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 2007.
<i>Campiglossa loewiana</i> (Hendel, 1927)	MacGowan (1994) described as first record, Skidmore (2008).

<i>Chaetostomella cylindrica</i> (Robineau-Desvoidy, 1830)	Skidmore (2008) cites Parker 2007.
<i>Euleia heraclei</i> (Linnaeus, 1758)	Bland (1994), Skidmore (2008) cites Parker 2004; NBN: OHBR 2017.
<i>Sphenella marginata</i> (Fallén, 1814)	Skidmore (2008) cites Parker 2007.
<i>Trupanea stellata</i> (Fuessly, 1775)	Skidmore (2008).
<i>Trypeta artemisiae</i> (Fabricius, 1794)	Bland (1994), Skidmore (2008) cites Parker 2007.
<i>Trypeta zoe</i> Meigen, 1826	NBN: 2019, 2020. OHBR 2019 first record.
<i>Xyphosia miliaria</i> (Schrank, 1781)	NBN: OHBR 2017 first record.
<b>Lauxanioidea</b>	
<b>Lauxaniidae</b>	
<i>Calliopum aeneum</i> (Fallén, 1820)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Calliopum simillimum</i> (Collin, 1933)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Calliopum tuberculosum</i> (Becker, 1895)	Waterston (198), Skidmore (2008) as <i>Sapromyza halidayi</i> cites Roper 1995.
<i>Meiosimyza rorida</i> (Fallén, 1820)	Forrest, Waterston & Watson (1936) as <i>Sapromyza rorida</i> , Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Minettia tubifer</i> (Meigen, 1826)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Pseudolyciella stylata</i> (Papp, 1978)	Skidmore (2008) assumes all published records of <i>Lyciella palliventris</i> to be <i>P. stylata</i> rather than <i>P. palliventris</i> . <b>Requires review.</b>
<i>Sapromyza albiceps</i> Fallén, 1820	Whitely, Garland, Hancock (1994), Skidmore (2008).
<b>Chamaemyiidae</b>	
<i>Chamaemyia flavipalpis</i> (Haliday, 1838)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: iRecord -Whitely 1989 - presumably the same record from Eriskay?.
<i>Chamaemyia geniculata</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Chamaemyia juncorum</i> (Fallén, 1823)	Skidmore (2008).
<i>Chamaemyia polystigma</i> (Meigen, 1830)	Skidmore (2008).
<b>Sciomyzoidea</b>	
<b>Coelopidae - Kelp Flies</b>	
<i>Coelopa frigida</i> (Fabricius, 1805)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2012-2021.
<i>Coelopa pilipes</i> Haliday, 1838	Skidmore (2008); NBN: OHBR 2013-2017, 2021
<b>Dryomyzidae</b>	
<i>Neuroctena anilis</i> (Fallén, 1820)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2018.
<b>Helcomyzidae</b>	
<i>Helcomyza ustulata</i> Curtis, 1825	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2012.
<b>Heterocheilidae</b>	
<i>Heterocheila buccata</i> (Fallén, 1820)	Forrest, Waterston & Watson (1936) as <i>Oedoparea buccata</i> , Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2021.
<b>Sciomyzidae - Snail-killing Flies</b>	
<i>Dictya umbrarum</i> (Linnaeus, 1758)	Skidmore (2008).
<i>Ditaeniella grisescens</i> (Meigen, 1830)	Skidmore (2008).
<i>Hydromya dorsalis</i> (Fabricius, 1775)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2012-2013.

<i>Ilione albiseta</i> (Scopoli, 1763)	Forrest, Waterston & Watson (1936) as <i>Elgiva albiseta</i> , Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Ilione lineata</i> (Fallén, 1820)	Skidmore (1994), Skidmore (1994, 2008); NBN: OHBR 2021.
<i>Limnia paludicola</i> Elberg, 1965	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995.
<i>Limnia unguicornis</i> (Scopoli, 1763)	MacGowan (1994) described as first record, Skidmore (2008).
<i>Pherbellia cinerella</i> (Fallén, 1820)	Forrest, Waterston & Watson (1936) as <i>Ditienia cinerella</i> , Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013.
<i>Pherbina coryleti</i> (Scopoli, 1763)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Pteromicra angustipennis</i> (Staeger, 1845)	Skidmore (2008).
<i>Renocera strobli</i> Hendel, 1900	MacGowan (1994) described as first record, Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Tetanocera arrogans</i> Meigen, 1830	Skidmore (2008).
<i>Tetanocera elata</i> (Fabricius, 1781)	Skidmore (1994, 2008); NBN: OHBR 2012.
<i>Tetanocera ferruginea</i> Fallén, 1820	Skidmore (1994, 2008); NBN: OHBR 2013 Mingulay.
<i>Tetanocera fuscinervis</i> (Zetterstedt, 1838)	MacGowan (1994) described as first record, Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Tetanocera hyalipennis</i> von Roser, 1840	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Tetanocera robusta</i> Loew, 1847	Forrest, Waterston & Watson (1936), Skidmore (2008); NBN: OHBR 2020.
<i>Trypetoptera punctulata</i> (Scopoli, 1763)	NBN: OHBR 2013 Mingulay first record.
<b>Sepsidae - Ensign Flies</b>	
<i>Nemopoda nitidula</i> Fallén, 1820	Forrest, Waterston & Watson (1936) as <i>N. cylindrica</i> , Skidmore (1994, 2008); NBN: BRC 1905-1976*.
<i>Orygma luctuosum</i> Meigen, 1830	Skidmore (1994), Skidmore (2008), cites Roper 1995; NBN: OHBR 2014-2017, 2021
<i>Sepsis cynipsea</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: BRC 1906-1966*, OHBR 2013.
<i>Sepsis flavimana</i> Meigen, 1826	Skidmore (1994, 2008); NBN: BRC 1973, 1976*.
<i>Sepsis fulgens</i> Meigen, 1826	Skidmore (1994, 2008); NBN: BRC 1935-1936*, OHBR 2013.
<i>Sepsis orthocnemis</i> Frey, 1908	Skidmore (1994, 2008); NBN: BRC 1906-1966*, OHBR 2013.
<i>Sepsis punctum</i> (Fabricius, 1794)	Skidmore (1994, 2008); NBN: OHBR 2019.
<i>Themira annulipes</i> (Meigen, 1826)	Skidmore (1994, 2008); NBN: OHBR 2017.
<i>Themira leachi</i> (Meigen, 1826)	Skidmore (2008); NBN: BRC 1962*.
<i>Themira lucida</i> (Staeger in Schiødte, 1844)	Skidmore (1994, 2008); NBN: BRC 1906*.
<i>Themira minor</i> (Haliday, 1833)	Skidmore (1994, 2008).
<i>Themira pusilla</i> (Zetterstedt, 1847)	Skidmore (1994, 2008).
<i>Themira putris</i> (Linnaeus, 1758)	Skidmore (2008); NBN: BRC 1905*.
<i>Themira superba</i> (Haliday, 1833)	Skidmore (1994, 2008).
*BRC records on NBN of Sepsidae from Britain and Ireland to 1985 are based on identification of museum specimens by Pont (1986), but the name of the collector is not stated. However, from the dates and locations, some of these records can be identified from the published literature and are included in Waterston (1981) and Skidmore (2008)	
<b>Opomyzoidea</b>	
<b>Agromyzidae - Leaf-miner Flies</b>	
<i>Agromyza filipendulae</i> Spencer, 1976	NBN: OHBR 2021 first record

<i>Agromyza mobilis</i> Meigen, 1830	Skidmore (2008) cites Bratton 1987.
<i>Agromyza nana</i> Meigen, 1830	Bland (1994); Skidmore (2008); NBN: OHBR 2018, 2021.
<i>Agromyza nigripes</i> Meigen, 1831	Skidmore (2008): "St Kilda record(s) only". This refers to Grimshaw (1907) who lists a single specimen in material collected by James Waterston on Hirta (St Kilda) in June-July 1905. Edward & Collins (1932) verified the identification in Grimshaw's collection, but note that it was not present in material collected by Lack in 1931.
<i>Aulagromyza hendeliana</i> (Hering, 1926)	NBN: OHBR 2017, 2020. OHBR 2017 first record
<i>Cerodontha denticornis</i> (Panzer, [1806])	Grimshaw (1905) Flannan Islands, Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Broomfield & Vardy 1962.
<i>Cerodontha iraeos</i> (Robineau-Desvoidy, 1851)	Bland (1994), Skidmore (2008); NBN: OHBR 2020-2021.
<i>Chromatomyia aprilina</i> (Goureau, 1851)	NBN: OHBR 2018-2021. OHBR 2018 first record.
<i>Chromatomyia asteris</i> (Hendel, 1934)	As <i>Phytomyza asteris</i> , Bland (1994), Skidmore (2008).
<i>Chromatomyia fuscula</i> (Zetterstedt, 1838)	Skidmore (2008). St Kilda record(s) only and Waterston (1981) includes record(s) of <i>Phytomyza ? fuscula</i> from St Kilda between 1900 and 1959. Grimshaw (1907) lists 6 specimens of <i>Phytomyza</i> of at least 3 species in material collected by James Waterston on Hirta (St Kilda) in June-July 1905. Edward & Collins (1932) identified <i>Phytomyza ? fuscula</i> in Grimshaw's collection of material from Waterston. <b>Requires confirmation.</b>
<i>Chromatomyia horticola</i> (Goureau, 1851)	As <i>Phytomyza horticola</i> , Bland (1994), Skidmore (2008); NBN: OHBR 2020-2021.
<i>Chromatomyia lonicerae</i> (Robineau-Desvoidy, 1851)	NBN: OHBR, 2015-2018. OHBR 2015 first record.
<i>Chromatomyia primulae</i> (Robineau-Desvoidy, 1851)	NBN: OHBR 2018 first record.
<i>Chromatomyia syngenesiae</i> Hardy, 1849	Skidmore (2008); NBN: OHBR 2018.
<i>Liriomyza flaveola</i> (Fallén, 1823)	Forrest, Waterston & Watson (1936), Skidmore (2008).
<i>Liriomyza lutea</i> Meigen, 1830	Skidmore(2008) lists it as common (?) on Barra, and Waterston (1981) also lists it as present on Barra - collected before 1960 verified by Waterston, and notes it as a new species. I can not find an original source, I think Skidmore is citing Waterston, and the Waterston record is either based on a museum specimen or unpublished material.
<i>Liriomyza richteri</i> Hering, 1927	Skidmore (1994, 2008).
<i>Napomyza Haliday in Westwood, 1840</i>	Skidmore (2008) and Waterston (1981) list <i>Napomyza lateralis</i> (Fallén, 1823) as recorded on North and South Uist. Grimshaw (1916) lists records from 1910 (South Uist) and 1905 (North Uist). Zlobin (1993) revised the species of <i>Napomyza</i> in the <i>lateralis</i> -group, therefore all previous records of laterlia must be re-examined or excluded. <b>Requires review.</b>
<i>Phytomyza affinis</i> (Fallén, 1823)	Grimshaw (1905) Flannan Islands as listed by Skidmore (2008)
<i>Phytomyza alpina</i> Groschke, 1957	Bland (1994).
<i>Phytomyza angelicae</i> Kaltenbach, 1872	Bland (1994), Skidmore (2008); NBN: OHBR 2017, 2018.
<i>Phytomyza aquilegiae</i> Hardy, 1849	NBN: OHBR 2021 first record
<i>Phytomyza calthophila</i> Hendel, 1931	Bland (1994); NBN: OHBR 2016, 2019.
<i>Phytomyza ilicis</i> Curtis, 1846	NBN: OHBR 2015 first record

<i>Phytomyza lappae</i> Goureau, 1851	Skidmore (2008) lists it as present on Barra, and Waterston (1981) also lists it as present on Barra - collected before 1960 verified by Waterston, and notes it as a new species. I think Skidmore is citing Waterston, and the Waterston record is either based on a museum specimen or unpublished material.
<i>Phytomyza plantaginis</i> Robineau-Desvoidy, 1851	Bland (1994).
<i>Phytomyza ranunculi</i> (Schrank, 1803)	Forrest, Waterston & Watson (1936), Skidmore (1994, 2008); NBN: OHBR 2018-2021.
<i>Phytomyza spondylia</i> Robineau-Desvoidy, 1851	Bland (1994); NBN: OHBR 2015 (as <i>Phytomyza spondylia</i> agg.).
<i>Phytomyza varipes</i> Macquart, 1835	Skidmore (2008).
<i>Phytomyza virgaureae</i> Hering, 1926	Bland (1994).
<i>Phytomyza wahlgreni</i> Rydén, 1944	Skidmore (2008) cites Bratton 1987, Skidmore 1989.
<b>Opomyzidae</b>	
<i>Geomyza balachowskyi</i> Mesnil, 1934	Forrest, Waterston & Watson (1936) as <i>G. combinata</i> , Skidmore (1994, 2008).
<i>Geomyza tripunctata</i> Fallén, 1823	Skidmore (2008) cites Roper 1995.
<i>Geomyza venusta</i> (Meigen, 1830)	Skidmore (2008).
<i>Opomyza germinationis</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Bratton 1987; NBN: OHBR 2013 Mingulay.
<i>Opomyza petrei</i> Mesnil, 1934	Skidmore (1994, 2008).
<b>Anthomyzidae</b>	
<i>Anthomyza gracilis</i> Fallén, 1823	Skidmore (2008).
<i>Anthomyza pallida</i> (Zetterstedt, 1838)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Anthomyza paraneglecta</i> Elberg, 1968	Skidmore (2008).
<i>Arganthomyza socculata</i> (Zetterstedt, 1847)	Skidmore (2008) as <i>Anthomyza socculata</i> .
<b>Carnoidea</b>	
<b>Milichiidae</b>	
<i>Phyllomyza securicornis</i> Fallén, 1823	Skidmore (2008).
<b>Carnidae - Bird Flies</b>	
<i>Meoneura flavifacies</i> Collin, 1930	Skidmore (1994), Skidmore (2008) cites Bratton 1987.
<i>Meoneura lamellata</i> Collin, 1930	Skidmore (2008) cites Roper 1995.
<i>Meoneura obscurella</i> (Fallén, 1823)	Skidmore (2008). St Kilda record(s) only
<b>Chloropidae - Phantom-midges</b>	
<i>Cetema cereis</i> Fallén, 1820	Skidmore (2008) St Kilda. St Kilda record(s) only.
<i>Cetema elongatum</i> (Meigen, 1830)	Forrest, Waterston & Watson (1936), Skidmore (2008); NBN: OHBR 2013 Mingulay.
<i>Cetema neglectum</i> Tonnoir, 1921	MacGowan (1994) described as first record, Skidmore (2008).
<i>Cetema simile</i> Ismay, 1985	Skidmore (2008) notes that early records of <i>Cetema</i> need to be checked. <b>Requires review</b>
<i>Chlorops calceatus</i> Meigen, 1830	Skidmore (2008); NBN: OHBR 2013 Mingulay.
<i>Chlorops hypostigma</i> Meigen, 1830	Skidmore (2008). St Kilda record(s) only.
<i>Chlorops laetus</i> Meigen, 1830	Forrest, Waterston & Watson (1936), Skidmore (2008).
<i>Chlorops meigenii</i> Loew, 1866	Skidmore (2008).
<i>Chlorops pumilionis</i> (Bjerkander, 1778)	Skidmore (2008).

<i>Chlorops scalaris</i> Meigen, 1830	Skidmore (2008).
<i>Elachiptera cornuta</i> agg (Fallén, 1820)	Skidmore (1994), Skidmore (2008) cites Bratton 1987.
<i>Epiochlorops puncticollis</i> (Zetterstedt, 1848)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Melanum laterale</i> (Haliday, 1833)	Skidmore (2008).
<i>Meromyza meigeni</i> Nartshuk, 2006	Skidmore (2008)? Possible error for <i>M. bohémica</i> . Recorded Barra, not listed by Waterston (1981). <b>Requires review.</b>
<i>Meromyza saltatrix</i> (Linnaeus, 1761)	Skidmore (2008).
<i>Meromyza pratorum</i> agg. Meigen, 1830	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013 as <i>M. pratorum</i> agg. Mingulay.
<i>Oscinella frit</i> (Linnaeus, 1758)	Forrest, Waterston & Watson (1936) as <i>Oscinosoma frit</i> , Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Oscinella pusilla</i> (Meigen, 1830)	Skidmore (2008). St Kilda record(s) only.
<i>Oscinella vastator</i> (Curtis, 1845)	Skidmore (2008).
<i>Oscinella vindicata</i> (Meigen, 1830)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<b>Sphaeroceroidea</b>	
<b>Heleomyzidae</b>	
<i>Heleomyza borealis</i> Boheman, 1865	Grimshaw (1905) Flannan Islands, Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013 Mingulay.
<i>Heteromyza commixta</i> Collin, 1901	Skidmore (1994, 2008); NBN: OHBR 2020-2021.
<i>Neoleria inscripta</i> (Meigen, 1830)	Skidmore (2008) cites Roper 1995.
<i>Neoleria maritima</i> (Villeneuve, 1921)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Neoleria prominens</i> (Becker, 1897)	Edwards & Collin (1932), Lack (1932), Skidmore (2008), Horsfield (2013) - St Kilda, Flannan Islands.
<i>Oecothea praecox</i> Loew, 1862	NBN: OHBR 2013 Mingulay first record.
<i>Suillia bicolor</i> (Zetterstedt, [1838])	Skidmore (1994), Skidmore (2008) cites Roper 1995, Parker 1997, 1999.
<i>Suillia imberbis</i> Czerny, 1924	Skidmore (2008).
<i>Suillia laevifrons</i> (Loew, 1862)	NBN: BRC 2006.
<i>Suillia notata</i> (Meigen, 1830)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995, Parker 1997, 1999.
<i>Tephrochlamys rufiventris</i> (Meigen, 1830)	Skidmore (1994, 2008). NBN: OHBR 2021
<b>Sphaeroceridae - Lesser Dungflies</b>	
<i>Copromyza equina</i> Fallén, 1820	Skidmore (2008) cites Roper 1995, Parker 1997; NBN: OHBR 2021.
<i>Copromyza nigrina</i> (Gimmerthal, 1847)	Skidmore (2008).
<i>Crumomyia fimetaria</i> (Meigen, 1830)	Skidmore (2008).
<i>Crumomyia nigra</i> (Meigen, 1830)	Skidmore (2008). St Kilda records only.
<i>Crumomyia nitida</i> (Meigen, 1830)	Skidmore (2008) cites Roper 1995, Parker 1997, 1999.
<i>Crumomyia pruinosa</i> (Richards, 1932)	Lack (1932), Edwards & Collin (1932), Richards (1932) as <i>C. glacialis</i> var. <i>pruinosa</i> , Skidmore (2008). St Kilda records only.
<i>Crumomyia roserii</i> (Rondani, 1880)	Skidmore (2008) cites Roper 1995.
<i>Herniosina bequaerti</i> (Villeneuve, 1917)	Skidmore (1994, 2008).
<i>Ischiolepta nitida</i> (Duda, 1920)	Skidmore (2008) cites Skidmore 1980, Roper 1995.
<i>Leptocera finalis</i> (Collin, 1956)	Skidmore (1994, 2008).
<i>Leptocera fontinalis</i> (Fallén, 1826)	Skidmore (1994, 2008).
<i>Leptocera nigra</i> Olivier, 1813	Skidmore (1994, 2008).

<i>Limosina silvatica</i> (Meigen, 1830)	Skidmore (2008).
<i>Lotophila atra</i> (Meigen, 1830)	Grimshaw (1905) Flannan Islands. Richards (1932) as <i>Copromyza atra</i> , Skidmore (1994), Skidmore (2008) cites Roper 1995, Parker 1997, 1999.
<i>Minilimosina vitripennis</i> (Zetterstedt, 1847)	Skidmore (1994, 2008).
<i>Opacifrons coxata</i> (Stenhammar, 1855)	Skidmore (1994, 2008).
<i>Phthitia empirica</i> (Haliday, 1836)	Skidmore (1994, 2008).
<i>Pseudocollinella humida</i> (Hutton, 1901)	Skidmore (1994) as <i>Opacifrons humida</i> , Skidmore (2008).
<i>Pteremis fenestralis</i> (Fallén, 1820)	Skidmore (2008).
<i>Rachispoda fuscipennis</i> (Haliday, 1833)	Skidmore (2008).
<i>Rachispoda limosa</i> (Fallén, 1820)	Skidmore (2008).
<i>Rachispoda lutosa</i> Stenhammar, 1855)	Skidmore (1994, 2008).
<i>Spelobia clunipes</i> (Meigen, 1830)	Grimshaw (1905) Flannan Islands. Skidmore (1994), Skidmore (2008) cites Skidmore 1980.
<i>Spelobia luteilabris</i> (Rondani, 1880)	Skidmore (2008).
<i>Spelobia nana</i> (Rondani, 1880)	Skidmore (2008).
<i>Spelobia palmata</i> (Richards, 1927)	Skidmore (2008).
<i>Spelobia rufilabris</i> (Stenhammar, 1855)	Skidmore (1994, 2008).
<i>Sphaerocera curvipes</i> Latreille, 1805	Forrest, Waterston & Watson (1936) as <i>S. subsultans</i> , Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Telomerina flavipes</i> (Meigen, 1830)	Skidmore (2008). St Kilda records only.
<i>Thoracochaeta brachystoma</i> (Stenhammar, 1855)	Skidmore (1994, 2008). NBN: OHBR 2021
<i>Thoracochaeta zosteræ</i> (Haliday, 1833)	Forrest, Waterston & Watson (1936) as <i>Leptocera zosteræ</i> , Skidmore (1994), Skidmore (2008). NBN: OHBR 2021
<i>Trachypella minuscula</i> Collin, 1956	Skidmore (1994, 2008).
<b>Ephydroidea</b>	
<b>Drosophilidae - Fruit Flies</b>	
<i>Drosophila funebris</i> (Fabricius, 1787)	Skidmore (2008).
<i>Drosophila phalerata</i> Meigen, 1830	Skidmore (2008).
<i>Lordiphosa fenestrarum</i> (Fallén, 1823)	Skidmore (1994), Skidmore (2008) cites Roper 1995 as <i>Drosophila andalusiaca</i> . Skidmore (1994), Skidmore (2008) as <i>Drosophila fenestratum</i> . NBN: OHBR 2013
<i>Scaptomyza flava</i> Fallén, 1823	Skidmore (1994, 2008); NBN: OHBR 2013, 2019-2021.
<i>Scaptomyza graminum</i> (Fallén, 1823)	Grimshaw (1905) Flannan Islands, Skidmore (1994), Skidmore (2008) cites Roper (1995), Parker 1997, 1999, Bland 1994.
<i>Scaptomyza pallida</i> (Zetterstedt, 1847)	Skidmore (1994, 2008).
<b>Diastatidae</b>	
<i>Diastata costata</i> Meigen, 1830	Skidmore (1994, 2008).
<b>Ephydriidae - Shoreflies</b>	
<i>Hyadina guttata</i> (Fallén, 1813)	Skidmore (2008).
<i>Hydrellia cochleariae</i> Haliday, 1839	Skidmore (2008).
<i>Hydrellia maura</i> Meigen, 1838	Skidmore (1994), Skidmore (2008) cites Parker 1997, 1999 and Roper 1995. Skidmore (2008) - assumes old published records for <i>H. griseola</i> are <i>H. maura</i> . However, <i>H. griseola</i> is a valid taxon and no reason is given for this statement.



<i>Hydrellia meigenii</i> Zatwarnicki, 1988	Skidmore (2008).
<i>Hydrellia ranunculi</i> Haliday, 1839	Skidmore (2008).
<i>Hydrellia subalbiceps</i> Collin, 1966	Skidmore (1994), Skidmore (2008) - queries whether specimens from the Uists are closer to <i>H. nigricans</i> or whether just a dark form of <i>H. subalbiceps</i> . At the time <i>H. nigricans</i> was not listed by Chandler (2021) and although now included in the UK list there are no records for Scotland on NBN. <b>Requires confirmation.</b>
<i>Lamproscatella sibilans</i> (Haliday, 1833)	Grimshaw (1905) Flannan Islands, Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Limnellia quadrata</i> (Fallén, 1813)	Skidmore (1994).
<i>Limnellia surturi</i> Andersson, 1971	Skidmore (1994).
<i>Notiphila cinerea</i> Fallén, 1813	Forrest, Waterston & Watson (1936), Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Notiphila nigricornis</i> Stenhammar, 1844	Skidmore (2008) cites Roper 1995.
<i>Notiphila uglinosa</i> Haliday, 1839	Skidmore (2008).
<i>Parydra coarctata</i> (Fallén, 1813)	Skidmore (1994, 2008).
<i>Parydra pusilla</i> (Meigen, 1830)	Skidmore (1994, 2008).
<i>Parydra quadripunctata</i> (Meigen, 1830)	Skidmore (2008).
<i>Pelina aenea</i> (Fallén, 1813)	Skidmore (1994, 2008).
<i>Pelina aenescens</i> (Stenhammar, 1844)	Skidmore (2008).
<i>Pelina nitens</i> Loew, 1873	Skidmore (1994, 2008).
<i>Philygria interstincta</i> Becker, 1896	Skidmore (1994, 2008).
<i>Philygria punctatonervosa</i> (Fallén, 1813)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013 Mingulay.
<i>Scatella paludum</i> (Meigen, 1830)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008).
<i>Scatella stagnalis</i> (Fallén, 1813)	Grimshaw (1905) Flannan Islands, Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008).
<i>Scatella subguttata</i> (Meigen, 1830)	Skidmore (1994, 2008).
<i>Scatophila caviceps</i> (Stenhammar, 1844)	Skidmore (2008).
<b>Hippoboscoidea</b>	
<b>Hippoboscidae - Birdlice-flies</b>	
<i>Melophagus ovinus</i> (Linnaeus, 1758)	Skidmore (2008); NBN: NTS St Kilda 1986.
<i>Ornithomya avicularia</i> (Linnaeus, 1758)	Thompson (1952), Flannan Islands - probably <i>O. fringilla</i> - Grimshaw (1905), Skidmore (2008). Not listed by Waterston (1981). <b>Requires confirmation.</b>
<i>Ornithomya chloropus</i> Bergroth, 1901	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2009, 2019-2021.
<i>Ornithomya fringillina</i> Curtis, 1836	Thompson (1952) - St Kilda (10/10/1910), Butt Lewis (9/1914) - W. Eagle Clark. <b>Requires confirmation.</b>
<b>Muscoidea</b>	
<b>Scathophagidae - Dungflies</b>	
<i>Acanthocnema nigrimana</i> (Zetterstedt, 1846)	Skidmore (2008).
<i>Ceratinostoma ostiorum</i> (Haliday in Curtis, 1832)	Whitely, Garland, Hancock (1994), Skidmore (2008); NBN: OHBR 2013-2014.
<i>Ernoneura argus</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Gimnomera tarsea</i> (Fallén, 1819)	Whitely, Garland, Hancock (1994), Bratton (2012), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013.

<i>Norellisoma spinimanum</i> (Fallén, 1819)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995.
<i>Scathophaga calida</i> (Haliday in Curtis, 1832)	Forrest, Waterston & Watson (1936) as <i>S. villipes</i> , Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2013, 2020, 2021.
<i>Scathophaga furcata</i> (Say, 1823)	Grimshaw (1905) Flannan Islands, Forrest, Waterston & Watson (1936) as <i>S. squalida</i> , Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2012-2018.
<i>Scathophaga litorea</i> (Fallén, 1819)	Grimshaw (1905) Flannan Islands, Lack (1932), Whitely, Garland, Hancock (1994), Skidmore (1994), Bratton (2012), Skidmore (2008) cites Roper 1995; NBN: OHBR 2012-2013, 2020.
<i>Scathophaga lutaria</i> (Fabricius, 1794)	Forrest, Waterston & Watson (1936), Skidmore (2008).
<i>Scathophaga stercoraria</i> (Linnaeus, 1758)	Grimshaw (1905) Flannan Islands, Forrest, Waterston & Watson (1936), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013-2019.
<i>Scathophaga suilla</i> (Fabricius, 1794)	Skidmore (1994, 2008); NBN: OHBR 2013.
<i>Spaziphora hydromyzina</i> (Fallén, 1819)	Forrest, Waterston & Watson (1936) as <i>Spathiophora hydromyzina</i> , Skidmore (2008).
<b>Anthomyiidae - Root-maggot Flies</b>	
<i>Anthomyia confusanea</i> Michelsen in Michelsen & Báez 1985	Skidmore (2008).
<i>Anthomyia liturata</i> (Robineau-Desvoidy, 1830)	Skidmore (1994), Skidmore (2008) cites Roper (1995).
<i>Botanophila brunneilinea</i> (Zetterstedt, 1845)	Forrest, Waterston & Watson (1936) as <i>Hylemyia brunneilinea</i> , Skidmore (1994, 2008).
<i>Botanophila depressa</i> (Stein, 1907)	As <i>Pegohylemyia oraria</i> Bland (1994).
<i>Botanophila fugax</i> (Meigen, 1826)	Skidmore (1994), Skidmore (2008) cites Roper (1995); NBN: OHBR 2021.
<i>Botanophila seneciella</i> (Meade, 1892)	Whitely, Garland, Hancock (1994), SSkidmore (1994, 2008).
<i>Botanophila sericea</i> (Malloch, 1920)	Skidmore (1994, 2008).
<i>Botanophila striolata discreta</i> agg. (Fallén, 1824)	As <i>Botanophila striolata</i> , Skidmore (1994), Skidmore (2008) cites Roper (1995).
<i>Chirosia betuleti</i> (Ringdahl, 1935)	NBN: OHBR 2016-2017. OHBR 2016 first record.
<i>Delia albula</i> (Fallén, 1825)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Delia coarctata</i> (Fallén, 1825)	Skidmore (2008).
<i>Delia echinata</i> (Séguy, 1923)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Delia florilega</i> (Zetterstedt, 1845)	Grimshaw (1905) Flannan Islands, Skidmore (2008).
<i>Delia lavata</i> (Boheman, 1863)	Roper & Ackland (2002), Bratton 2010. According to Falk & Pont (2017) it is not possible to distinguish between a small resident breeding population or wind-blown strays from continental Europe. <b>Requires confirmation.</b>
<i>Delia pallipennis</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Delia platura</i> (Meigen, 1826)	Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2020-2021.
<i>Delia quadripila</i> (Stein, 1916)	Skidmore (2008).
<i>Delia radicum</i> (Linnaeus, 1758)	Skidmore (2008) cites Roper (1995); NBN: OHBR 2018.
<i>Delia setigera</i> (Stein, 1920)	Skidmore (2008).
<i>Fucellia fucorum</i> (Fallén, 1819)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper (1995).
<i>Fucellia maritima</i> (Haliday in Curtis, 1837)	Skidmore (2008); NBN: OHBR 2014.

<i>Fucellia tergina</i> (Zetterstedt, 1845)	Skidmore (1994), Whitely, Garland, Hancock (1994), Bratton (2012), Skidmore (2008) cites Roper 1995.
<i>Hydrophoria linogrisea</i> (Meigen, 1826)	Skidmore (1994), Skidmore (2008) cites Roper (1995), Whitely, Garland, Hancock (1994).
<i>Hylemya vagans</i> (Panzer, [1798])	Skidmore (2008) cites Roper 1995.
<i>Hylemya variata</i> (Fallén, 1823)	Skidmore (1994, 2008).
<i>Lasiomma picipes</i> (Meigen, 1826)	Skidmore (2008) cites Roper 1995.
<i>Leucophora cinerea</i> Robineau-Desvoidy, 1830	Skidmore (2008).
<i>Myopina myopina</i> (Fallén, 1824)	Skidmore (2008).
<i>Paradelia brunneonigra</i> (Schnabl in Schnabl & Dziedzicki, 1911)	Skidmore (2008) cites Bratton 1987.
<i>Paradelia intersecta</i> Meigen, 1826)	Skidmore (1994, 2008).
<i>Paregle audacula</i> (Harris, [1780])	Skidmore (1994, 2008).
<i>Pegomya betae</i> (Curtis, 1847)	Skidmore (2008) cites Skidmore 1989; NBN: OHBR 2021.
<i>Pegomya bicolor</i> (Wiedemann, 1817)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper (1995); NBN: OHBR 2018.
<i>Pegomya fulgens</i> (Meigen, 1826)	Skidmore (1994, 2008).
<i>Pegomya haemorrhoum</i> (Zetterstedt, [1838])	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Pegomya hyoscyami</i> (Panzer, [1809])	Bland (1994), Skidmore (2008) cites Bratton 1987.
<i>Pegomya solennis</i> (Meigen, 1826)	Skidmore (2008) cites Skidmore 1989, Roper 1995; NBN: OHBR 2017, 2020.
<i>Pegoplata aestiva</i> (Meigen, 1826)	Grimshaw (1905) Flannan Islands, Skidmore (1994), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN:OHBR 2021.
<i>Pegoplata infirma</i> (Meigen, 1826)	Skidmore (1994), Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN:OHBR 2021.
<i>Phorbia fumigata</i> (Meigen, 1826)	Skidmore (2008).
<i>Subhylemyia longula</i> (Fallén, 1824)	Skidmore (1994, 2008).
<i>Zaphne ambigua</i> (Fallén, 1823)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Zaphne caudata</i> (Zetterstedt, 1855)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Dinnin 1999.
<b>Fanniidae - Lesser Houseflies</b>	
<i>Fannia canicularis</i> (Linnaeus, 1761)	Grimshaw (1905) Flannan Islands, Skidmore (1994, 2008); NBN: OHBR 2015.
<i>Fannia fuscua</i> (Fallén, 1825)	Forrest, Waterston & Watson (1936), Skidmore (1994, 2008).
<i>Fannia genualis</i> (Stein, 1895)	Skidmore (1994, 2008).
<i>Fannia incisurata</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Fannia lepida</i> (Zetterstedt, 1845)	Skidmore (1994) as <i>F. mutica</i> ; NBN: OHBR 2020.
<i>Fannia mollissima</i> (Haliday in Westwood, 1840)	Skidmore (2008) cites Roper 1995; NBN: OHBR 2013.
<i>Fannia parva</i> (Stein, 1895)	Waterston (1981) new record South Uist, Skidmore (2008).
<i>Fannia postica</i> (Stein, 1895)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Fannia rondanii</i> (Strobl, 1893)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Fannia serena</i> (Fallén, 1825)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<b>Muscidae</b>	
<i>Azelia cilipes</i> (Haliday, 1838)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).

<i>Azelia gibbera</i> (Meigen, 1826)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Azelia zetterstedti</i> Rondani, 1866	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Coenosia albicornis</i> Meigen, 1826	Skidmore 2008.
<i>Coenosia campestris</i> (Robineau-Desvoidy, 1830)	Skidmore 2008.
<i>Coenosia femoralis</i> (Robineau-Desvoidy, 1830)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Coenosia lacteipennis</i> (Zetterstedt, 1845)	Forrest, Waterston & Watson (1936) a <i>Dexiopsis lactipennis</i> , Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Coenosia means</i> Meigen, 1826	Forrest, Waterston & Watson (1936), Skidmore 2008.
<i>Coenosia mollicula</i> (Fallén, 1825)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Coenosia pedella</i> (Fallén, 1825)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper.
<i>Coenosia pumila</i> (Fallén, 1825)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Coenosia rufipalpis</i> Meigen, 1826	Skidmore 2008.
<i>Coenosia testacea</i> (Robineau-Desvoidy, 1830)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Coenosia tigrina</i> (Fabricius, 1775)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2012-2018.
<i>Drymeia hamata</i> (Fallén, 1823)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2017, 2018.
<i>Eudasyphora cyanella</i> (Meigen, 1826)	Skidmore 2008.
<i>Graphomya maculata</i> (Scopoli, 1763)	Forrest, Waterston & Watson (1936), Skidmore (1994, 2008); NBN: OHBR 2020.
<i>Graphomya minor</i> Robineau-Desvoidy, 1830	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Hebecnema umbratica</i> (Meigen, 1826)	Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Hebecnema vespertina</i> (Fallén, 1823)	Skidmore (2008) cites Roper 1995; NBN: OHBR 2015.
<i>Helina arctata</i> Collin, 1953	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Helina calceata</i> (Rondani, 1866)	Forrest, Waterston & Watson (1936) as <i>Mydaea calceata</i> , Skidmore (2008).
<i>Helina cinerella</i> (van der Wulp, 1867)	Skidmore (2008) cites Roper 1995.
<i>Helina confinis</i> (Fallén, 1825)	Skidmore (2008).
<i>Helina cothurnata</i> (Rondani, 1866)	Skidmore (2008).
<i>Helina evecta</i> (Harris, 1780)	Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2015.
<i>Helina impuncta</i> (Fallén, 1825)	Forrest, Waterston & Watson (1936) as <i>Mydaea impuncta</i> , Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Helina maculipennis</i> (Zetterstedt, 1845)	Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2015.
<i>Helina obscurata</i> (Meigen, 1826)	Skidmore (2008).
<i>Helina protuberans</i> (Zetterstedt, 1845)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995.
<i>Helina pubiseta</i> (Zetterstedt, 1845)	Skidmore (2008).
<i>Helina quadrum</i> (Fabricius, 1805)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Helina reversio</i> (Harris, [1780])	Grimshaw (1905) Flannan Islands, Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2015.
<i>Helina setiventris</i> Ringdahl, 1924	Skidmore (2008) cites Roper 1995.
<i>Helina subvittata</i> (Séguy, 1923)	Skidmore (2008).
<i>Helina trivittata</i> (Zetterstedt, 1860)	Skidmore (2008).
<i>Hydrotaea armipes</i> (Fallén, 1825)	Skidmore (1994), Skidmore (2008) cites Roper 1995.

<i>Hydrotaea cinerea</i> Robineau-Desvoidy, 1830	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Hydrotaea dentipes</i> (Fabricius, 1805)	Forrest, Waterston & Watson (1936), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013-2018.
<i>Hydrotaea irritans</i> (Fallén, 1823)	Grimshaw (1905) Flannan Islands, Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2015, 2018.
<i>Hydrotaea similis</i> Meade, 1887	NBN: OHBR 2013 first record.
<i>Limnophora maculosa</i> (Meigen, 1826)	Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Limnophora olympiae</i> Lyneborg, 1965	Skidmore (2008).
<i>Limnophora triangula</i> (Fallén, 1825)	Skidmore (2008).
<i>Limnospila albifrons</i> (Zetterstedt, 1849)	Skidmore (1994, 2008).
<i>Lispe tentaculata</i> (Zetterstedt, 1849)	Skidmore (2008).
<i>Morellia hortorum</i> (Fallén, 1817)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2015, 2018.
<i>Morellia simplex</i> (Loew, 1857)	NBN: BRC 1910, 1936, 1966 - not listed by Waterston (1981) or Skidmore (2008). <b>Requires review.</b>
<i>Musca domestica</i> Linnaeus, 1758	Grimshaw 1905 - Flannan Islands W. Eagle Clarke, Skidmore (2008). A single record from the Flannan Islands. <b>Requires review.</b>
<i>Mydaea anicula</i> (Zetterstedt, 1860)	NBN: OHBR 2015 first record.
<i>Mydaea urbana</i> (Meigen, 1826)	Skidmore (2008).
<i>Myospila mediatubunda</i> (Fabricius, 1781)	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013-2017.
<i>Neomyia cornicina</i> (Fabricius, 1781)	Grimshaw (1905) Flannan Islands, Forrest, Waterston & Watson (1936) as <i>Cryptolucilia caesarion</i> , Skidmore (1994, 2008); NBN: OHBR 2021.
<i>Phaonia angelicae</i> (Scopoli, 1763)	Forrest, Waterston & Watson (1936) as <i>P. basalis</i> , Skidmore (2008); NBN: OHBR 2018, 2020.
<i>Phaonia consobrina</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Phaonia errans</i> (Meigen, 1826)	Skidmore (2008); NBN: OHBR 2021.
<i>Phaonia erronea</i> (Schnabl, 1887)	OHBR 2015 first record. NBN: OHBR 2015, 2021
<i>Phaonia incana</i> (Wiedemann, 1817)	Forrest, Waterston & Watson (1936), MacGowan (1994) Flannan Islands, Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper; NBN: OHBR 2015-2018.
<i>Phaonia perdita</i> (Meigen, 1830)	Skidmore (2008) cites Roper 1995; NBN: OHBR 2019.
<i>Pseudocoenosia abnormis</i> Stein, 1916	Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Schoenomyza litorella</i> (Fallén, 1823)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008).
<i>Spilogona aerea</i> (Fallén, 1825)	Skidmore (2008).
<i>Spilogona contractifrons</i> (Zetterstedt, 1838)	NBN: OHBR 2015. OHBR 2015 first record.
<i>Spilogona denigrata</i> (Meigen, 1826)	Forrest, Waterston & Watson (1936) as <i>Limnophora denigrata</i> , Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995.
<i>Spilogona falleni</i> Pont, 1984	Skidmore (2008).
<i>Spilogona litorea</i> (Fallén, 1823)	Forrest, Waterston & Watson (1936) as <i>Limnophora litorea</i> , Waterston (1981), Whitely, Garland, Hancock (1994).
<i>Spilogona pacifica</i> (Meigen, 1826)	Whitely, Garland, Hancock (1994) as <i>S. varda</i> , Skidmore (2008).

<i>Spilogona solitaria</i> (Collin, 1921)	Skidmore (2008).
<i>Spilogona surda</i> (Zetterstedt, 1845)	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Spilogona trianguligera</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Thricops cunctans</i> (Meigen, 1826)	Skidmore (2008).
<i>Thricops foveolatus</i> (Zetterstedt, 1845)	Skidmore (2008).
<i>Thricops longipes</i> (Zetterstedt, 1845)	Skidmore (2008). St Kilda records only.
<i>Thricops nigrtellus</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Thricops rostratus</i> (Meade, 1882)	Skidmore (2008).
<i>Thricops semicinereus</i> (Wiedemann, 1817)	Skidmore (2008).
<b>Oestroidea</b>	
<b>Calliphoridae - Blowflies</b>	
<i>Bellardia pandia</i> (Walker, 1849)	NBN: OHBR 2013 first record.
<i>Bellardia pubicornis</i> (Zetterstedt, 1838)	Skidmore (2008).
<i>Bellardia viarum</i> (Robineau-Desvoidy, 1830)	NBN: OHBR 2017. OHBR 2017 first record.
<i>Bellardia vulgaris</i> (Robineau-Desvoidy, 1830)	Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013. According to Skidmore (2008) old published records of <i>Onesia sepulchralis</i> (Linnaeus) from the Uists presumably refer to <i>B. vulgaris</i> but some records may relate to <i>B. viarum</i> .
<i>Calliphora loewii</i> Enderlein, 1903	Whitely, Garland, Hancock (1994), Skidmore (2008).
<i>Calliphora subalpina</i> (Ringdahl, 1931)	NBN: OHBR 2014 first record.
<i>Calliphora uralensis</i> Villeneuve, 1922	Skidmore (1994, 2008), Bratton (2012), MacDonald (2014, 2016); NBN: OHBR 2010-2018, 2020, 2021.
<i>Calliphora vicina</i> Robineau-Desvoidy, 1830	Grimshaw (1905) Flannan Islands, Forrest, Waterston & Watson (1936) as <i>C. erythrocephala</i> , Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013-2021.
<i>Calliphora vomitoria</i> (Linnaeus, 1758)	Skidmore (1994, 2008); NBN: OHBR 2013-2018, 2020.
<i>Cynomya mortuorum</i> (Linnaeus, 1761)	Grimshaw (1905) Flannan Islands, Whitely, Garland, Hancock (1994), Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013-2021.
<i>Lucilia caesar</i> (Linnaeus, 1758)	Skidmore (1994, 2008).
<i>Lucilia illustris</i> (Meigen, 1826)	Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2020.
<i>Lucilia sericata</i> (Meigen, 1826)	Forrest, Waterston & Watson (1936), Whitely, Garland, Hancock (1994), Skidmore (1994, 2008); NBN: OHBR 2013-2018.
<i>Lucilia silvarum</i> (Meigen, 1826)	NBN: OHBR 2013 first record.
<i>Melinda gentilis</i> Robineau-Desvoidy, 1830	Skidmore (2008) as <i>Onesia caerulea</i> .
<i>Melinda viridicyanea</i> (Robineau-Desvoidy, 1830)	Skidmore (2008).
<i>Protophormia terraenovae</i> (Robineau-Desvoidy, 1830)	Skidmore (2008); NBN: OHBR 2013-2017, 2021.
<b>Polleniidae</b>	
<i>Pollenia amentaria</i> (Scopoli, 1763)	NBN: OHBR 2021 first record.
<b>Rhinophoridae</b>	
<i>Melanophora roralis</i> (Linnaeus, 1758)	Skidmore (2008).
<b>Sarcophagidae - Fleshflies</b>	
<i>Sarcophaga melanura</i> Meigen, 1826	Skidmore (2008).
<i>Sarcophaga nigriventris</i> Meigen, 1826	Skidmore (2008) cites Roper 1995.

<b>Tachinidae - Parasite-flies</b>	
<i>Campylocheta inepta</i> (Meigen, 1824)	Skidmore (2008) cites Skidmore 1989.
<i>Ceromya bicolor</i> (Meigen, 1824)	Skidmore (1994, 2008).
<i>Gymnocheta viridis</i> (Fallén, 1810)	Whitely, Garland, Hancock (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013, 2021.
<i>Linnaemya vulpina</i> (Fallén, 1810)	Skidmore (1994), Skidmore (2008) cites Parker 1999, 2004.
<i>Lydina aenea</i> (Meigen, 1824)	Skidmore (2008) cites Roper 1995.
<i>Medina collaris</i> (Fallén, 1820)	Skidmore (1994), Skidmore (2008) cites Roper 1995; NBN: OHBR 2013-2018.
<i>Pales pavidus</i> (Meigen, 1824)	Skidmore (2008).
<i>Panzeria anthophila</i> (Robineau-Desvoidy, 1830)	Skidmore (2008) cites Parker 2002 as <i>Eurithia anthophila</i> .
<i>Pelatachina tibialis</i> (Fallén, 1810)	NBN: OHBR 2015 first record
<i>Phryxe</i> Robineau-Desvoidy, 1830	NBN: OHBR 2013. OHBR 2013 first record
<i>Platymya fimbriata</i> (Meigen, 1824)	NBN: BRC 2009. BRC 2009 - first record
<i>Prosenia siberita</i> (Fabricius, 1775)	Forrest, Waterston & Watson (1936) as <i>P. luculliana</i> , Whitely, Garland, Hancock (1994), Skidmore (2008) cites Parker 2002, 2004; NBN: BRC 2009,.
<i>Siphona geniculata</i> (De Geer, 1776)	Forrest, Waterston & Watson (1936) as <i>Bucentes geniculata</i> , Skidmore (2008) cites Roper 1995.
<i>Siphona maculata</i> Staeger in Zetterstedt, 1849	Skidmore (2008) cites Roper 1995.
<i>Tachina grossa</i> (Linnaeus, 1758)	NBN: OHBR 2019-2021. OHBR 2019 first record.
<i>Winthemia quadripustulata</i> (Fabricius, 1794)	Waterston 1981), recorded as <i>Winthemia (Exorista) apicalis</i> (Dale 1892) Vallay, North Uist. <b>Not confirmed.</b>
<b>Oestridae - Warble-flies, Bots</b>	
<i>Gasterophilus intestinalis</i> (De Geer, 1776)	Skidmore (2008).
<i>Hypoderma lineatum</i> (De Villers, 1789)	Forrest, Waterston & Watson (1936) – “Cattle infested by warbles were frequently seen on the machair” (Barra), Skidmore (2008).

## Bibliography

- Ball, S. & McLean, I.F.G., 1986. *Sciomyzidae Recording Scheme. Preliminary Atlas*. Sciomyzidae Recording Scheme Newsletter
- Ball, S. & Morris, R., 1995. *Working maps of hoverflies in Great Britain* 2nd ed. Dipterists Forum, Hoverfly Recording Scheme
- Ball, S., Morris, R. & Rotherhay, G., 2012. *Atlas of the Hoverflies of Great Britain (Diptera, Syrphidae) 2012*, Centre for Ecology & Hydrology
- Bland, K.P., 1994. Some leaf-mining Diptera from North Uist, Outer Hebrides. *Glasgow Naturalist*, 22(4), 385-387.
- Bland, K. & Rotheray, G., 1994. Tephritidae (Diptera) - four species under-recorded in the British Isles and new foodplant records. *Dipterists Digest* (Second Series), 1, 78-80
- Bland, K., 1994. Agromyzidae (Diptera) new to Scotland. *Dipterists Digest* (Second Series), 1, 81-84
- Bland, K. & Rotheray, G., 1994. The distribution and biology of two leaf-mining species of Cricotopus (Diptera: Chironomidae) in Scotland. *Dipterists Digest* (Second Series), 1, 34-36
- Bratton, J.H., 2012. Miscellaneous invertebrates recorded from the Outer Hebrides, 2010. *Glasgow Naturalist*, 25, 5-6
- Carter, A.E.J. & Waterston, J., 1909. On some Scottish Diptera; Stratiomyidae to Asilidae. *Annals Scottish Natural History*, 18, 91-96.
- Chandler, P.J., 2000. The Scottish Moth Flies (Diptera, Psycholidae). *Dipterists Digest* (Second Series), 7, 71-78
- Chandler, P.J., 1998. Notes on the Scatopsidae (Diptera) including Pharsoreichertella simplicinervis (Duda 1928) new to Britain. *Dipterists Digest* (Second Series), 5, 83-88
- Chandler, P.J., 2021. An Update of the 1998 Checklist of Diptera of the British Isles. [updated 28 July 2021]. Available at [https://dipterists.org.uk/sites/default/files/pdf/BRITISH%20ISLES%20CHECKLIST%202021\\_07.pdf](https://dipterists.org.uk/sites/default/files/pdf/BRITISH%20ISLES%20CHECKLIST%202021_07.pdf)
- Coe, R.L., 1941. Distribution of Eristalis abusivus Collin (Dipt., Syrphidae) in the British Isles, with notes on the female. *Entomologist's Monthly Magazine*, 55, 130-131
- Dale, C.W., 1883. Entomology of the Isle of Harris. *Entomologist's Monthly Magazine*, 19, 237-238
- Dale, C.W., 1884. Capture of insects in the Hebrides and in St Kilda. *Scottish Naturalist*, 7, 28.
- Dale, C.W., 1884. Additions to the Isle of Harris. *Entomologist's Monthly Magazine*, 20, 256
- Dale, C.W., 1884. Captures on North Uist and St. Kilda. *Entomologist's Monthly Magazine*, 20, 213-214
- Dale, C.W., 1889. The insect fauna of St Kilda. *Entomologist*, 22, 12-13
- Davies, L., 1981. Additions to the list of Diptera for Hirta, St Kilda Group, Scotland. *Entomologist's Monthly Magazine*, 116, 216-218
- Davies, L. & Laurence, B.R., 1992. The Distribution of the Calliphora species in Britain and Ireland (Dipt., Calliphoridae). *Entomologist's Monthly Magazine*, 128, 207-213
- Deeming, J.C. & Knutson, L.V., 1966. Ecological notes on some Sphaeroceridae reared from snails and descriptions of the puparium of Copromyza (Apterina) pedestris Meigen. *Proceedings of the Entomological Society of Washington*, 68, 110-112
- Disney, R.H.L. & Davies, L., 1980. Scuttle flies from St Kilda. *Glasgow Naturalist*, 19(6), 458-488
- Drake, C.M., 2018. *A review of the status of the Dolichopodidae flies of Great Britain*. Species Status No.30., Natural England.
- Edwards, F.W. & Collin, J.E., 1932. A revised list of Diptera for St Kilda. *Entomologist's Monthly Magazine*, 68, 263-266
- Evans, W., 1915. Lepidoptera (moths) and other insects at Scottish Lighthouses, Chiefly in the Forth area. III Butt of Lewis lighthouse, Outer Hebrides. *The Scottish Naturalist*, 130-13.
- Falk, S.J. & Crossley, R., 2005. *A review of the scarce and threatened flies of Great Britain. Part 3: Empidoidea*. Peterborough: Joint Nature Conservation Committee
- Falk, S.J., Ismay, J.W. & Chandler, P.J., 2016. *A Provisional Assessment of the Status of Acalypterae flies in the UK*. Natural England
- Falk, S.J. & Pont, A.C., 2017. *A Provisional Assessment of the Status of Calypterae flies in the UK*. Natural England
- Forrest, J.E., A.R. W. & Watson, E.V., 1936. The natural history of Barra, Outer Hebrides. The results of a scientific expedition organised by the Biological Society of the University of Edinburgh, 1st to 14th July 1935. *Proceedings of the Royal Physical Society of Edinburgh*, 22, 241-296



- Freeman, P., 1987. British Sciaridae (Diptera); new species and records with notes on the Tuomikoski collection. *Entomologist's Monthly Magazine*, 123, 195-204
- Grimshaw, P.H., 1905. On the Diptera of the Flannan Islands. *Annals of Scottish Natural History*, 218-220
- Grimshaw, P.H., 1907. On the Diptera of St. Kilda. *Annals Scottish Natural History*, 63, 150-158
- Grimshaw, P.H., 1914. Diptera Scotica VI: The Western isles. *The Scottish Naturalist*, 204-213, 234-236, 258-262
- Grimshaw, P.H., 1915. Diptera Scotica VI: The Western isles. *The Scottish Naturalist*, 276-281
- Grimshaw, P.H., 1916. Diptera Scotica VI: The Western isles. *The Scottish Naturalist*, 115-119, 134-138
- Hamilton, J.D., 1963. The freshwater fauna of Hirta, St Kilda. *Glasgow Naturalist*, 18, 233-241
- Heslop Harrison, J.W., 1940. The gall gnat *Janetiella thymi* Kieffer (Dipt., Cecidomyiidae) on the isle of Fiaray. *Entomologist's Monthly Magazine*, 76, 52-53
- Heslop Harrison, J.W., 1944. Gall-midges on the aspen in the Hebrides. *Entomologist's Record and Journal of Variation*, 56, 24
- Heslop Harrison, J.W., 1944. Meadowsweet gall-gnats (Dipt., Cecidomyiidae) in the Hebrides. *Entomologist's Monthly Magazine*, 80, 77
- Heslop Harrison, J.W., 1942. *Perrisia populei* Rubs. (Dipt., Cecidomyiidae) in the Isle of South Uist. *Entomologist's Monthly Magazine*, 78, 282
- Heslop Harrison, J.W., 1946. *Perrisia angelicae* Rubs. (Dipt.: Cecidomyiidae) on a cliff in the Isles of South Uist. *Entomologist's Monthly Magazine*, 78, 106
- Heslop Harrison, J.W., 1946. *Perrisia populei* Rubs. (Dipt., Cecidomyiidae) on a cliff in the Isle of South Uist. *Entomologist's Monthly Magazine*, 78, 106
- Heslop Harrison, J.W., 1947. The Cecidomyiidae (Dipt.) attached to meadow sweet (*Spiraea ulmaria* L.) in the Outer Hebrides. *Entomologist*, 83, 99
- Heslop Harrison, J.W., 1948. Zooecidia in the Scottish Western Isles. *Entomologist's Monthly Magazine*, 84, 113-116
- Heslop Harrison, J.W., 1949. Cecidomyiid galls on meadowsweet in the Isle of Harris. *Entomologist*, 82, 120
- Heslop Harrison, J.W., 1952. The gall-gnat *Arceuthomyia* (= *Rhopalomyia*) *valerii* Tavares (Dipt., Cecidomyiidae) in the Isle of Harris. *Entomologist's Monthly Magazine*, 85, 128
- Heslop Harrison, J.W., 1954. The gall-gnat *Syndiptosis petioli* Kieffer in the Isle of Harris. *Entomologist's Record and Journal of Variation*, 66, 28
- Heslop Harrison, J.W., 1956. *Rhopalomyia ptarmicae* Vallot (Dipt. Cecidomyiidae) in the Outer Hebrides. *Entomologist*, 89, 124
- Horsfield, D., 2001. *Melinda gentilis* Robineau-Desvoidy new to Scotland with notes on *Melinda viridicyanea* (Robineau-Desvoidy) (Diptera, Calliphoridae). *Dipterists Digest* (Second Series), 8, 131-132
- Horsfield, D., 2013. *Neoleria prominens* (Becker) (Diptera, Heleomyzidae) from the Flannan Islands, Scotland. *Dipterists Digest* (Second Series), 20(1), 13-14
- Johnson, C., 2019. Diptera in the Outer Hebrides – A Revised Checklist. *Hebridean Naturalist*, 19, 52-62
- Lack, D., 1932. Notes on the Diptera of St Kilda. *Entomologist's Monthly Magazine*, 68, 139-145
- Lamb, C.G., 1917. Diptera from Lewis, Outer Hebrides. *Entomologist*, 71
- Langton, P.H. & Ruse, L.P., 2005. Further species of Chironomidae (Diptera) new to the British Isles and data for species newly recorded in the 1998 Checklist. *Dipterists Digest* (Second Series), 12, 134-140
- Laurence, B.R., 1991. *Calliphora uralensis* Ville (Dipt., Calliphoridae) in the Norther Isles. *Entomologist's Monthly Magazine*, 127, 139-142
- Macdonald, M., 2014. Observations of *Calliphora uralensis* Villeneuve (Diptera, Calliphora) in Scotland. *Dipterists Digest*, 21, 197-200
- Macdonald, M., 2015. Observations of *Bibio* and *Dilophus* species (Diptera, Bibionidae) in North Scotland. *Dipterists Digest*, 22, 183-191
- Macdonald, M., 2016. Further observations of *Calliphora uralensis* Villeneuve (Dipter, Calliphoridae) in Scotland. *Dipterists Digest*, 23, 215-218
- MacGowan, I., 1985. Notes on the Diptera of the Western Isles. *Entomologists Monthly Magazine*, 121, 24

- MacGowan, I., 1986. *Sciapus contristans* (Dolichopodidae) in Scotland and other Diptera new to the Western Isles. *Entomologist's Monthly Magazine*, 122, 213
- MacGowan, I., 1986. *A Preliminary Survey of Dolichopodidae (Diptera) in Scotland*. Edinburgh: Nature Conservancy Council
- MacGowan, I., 1987. Dolichopodidae and Syrphidae (Diptera) new to Lewis. *Hebridean Naturalist*, 9, 14-16
- MacGowan, I., 1994. Additions to the List of Diptera from the Western Isles. *Dipterists Digest*, 14, 28-31
- Majer, J. 1988. Family Rhagionidae. In: Soós, Á. & Papp, L. (Eds) *Catalogue of Palaearctic Diptera* 5: 14-29.
- McCullough, A. & Wakeham-Dawson, A., 2001. Hoverfly (Syrphidae) records from North Uist and Monach Islands, Scotland. *British Journal of Entomology and Natural History*, 13, 196
- McCullough, A., Wakeham-Dawson, A. & Parker, M.J., 2002. A provisional checklist of the hoverflies (Diptera, Syrphidae) of the islands of North Uist, South Uist, Benbecula, Eriskay and Berneray in the Outer Hebrides. *Dipterists Digest* (Second Series), 9, 95-102
- Menzel, F., Smith, J.E. & Chandler, P.J., 2006. The Sciarid fauna from the British Isles (Diptera: Sciaridae), including descriptions of six new species. *Zoological Journal of the Linnean Society*, 146(1), 1-147
- Neill, W., and Macdonal, M. 2019. Occurrence of *Dioctria baumhaueri* Meigen (Diptera, Asilidae) in the Western Isles. *Dipterists Digest*, 26: 47-48.
- Parker, M.J., 1998. Annual Exhibition Imperial College, London SW7, 25 October 1997. *British Journal of Entomology and Natural History*, 11, 100-1
- Parker, M.J., 2000. Annual Exhibition Imperial College, London SW7, 27 November 1999. *British Journal of Entomology and Natural History*, 13, 169
- Parker, M.J., 2003. Annual Exhibition Imperial College, London SW7-9, November 2002. *British Journal of Entomology and Natural History*, 16, 180
- Parker, M.J., 2005. Annual Exhibition Imperial College, London SW7, 13 November 2004. *British Journal of Entomology and Natural History*, 18, 19
- Pitkin, B.R., 1988. Lesser Dung flies (Diptera: Sphaeroceridae). In *Handbooks for the Identification of British Insects*. London: Royal Entomological Society of London.
- Pont, A.C., 1986. *Provisional Atlas of the Sepsidae (Diptera) of the British Isles*. Huntingdon, Biological Records Centre Institute of Terrestrial Ecology
- Richards, O.W., 1932. Sphaeroceridae from St Kilda. *Entomologist's Monthly Magazine*, 68, 262-263
- Roper, P. & Ackland, D.M., 2002. A second British record of *Delia lavata* (Boheman, 1863) (Diptera, Anthomyiidae). *Dipterists Digest* (Second Series), 9, 94
- Roper, T., Skidmore, P. & Pont, A.C., 1999. *Helina cinerella* (Wulp, 1867) (Dipt., Muscidae), new to Britain. *Entomologist's Monthly Magazine*, 135, 207-209
- Rotherhay, G.E. & Bland, K.P. 1992. *Xanthandrus comtus* (Harris)(Dipt., Syrphidae) breeding in Scotland. *Entomologist's Monthly Magazine*, 128: 57-58
- Skartveit, J., Whittington, A.E. & Bland, K.P., 2013. The distribution of Bibionidae (Diptera) in Scotland, United Kingdom. *Studia dipterologica*, 20(2), 335-364
- Skidmore, P., 1993. Notes on the puparia of British Sphaeroceridae. *Dipterists Digest*, 13, 6-22
- Skidmore, P., 1994. Composite List of Diptera Collected in South Uist, Benbecula and North Uist in August 1989. *Dipterists Digest*, 14, 44-52
- Skidmore, P., 1995. A Dipterological perspective on the Holocene history of the North Atlantic Area. Available at: <http://etheses.whiterose.ac.uk/14628/>
- Skidmore, P., 2008. A review of the Diptera of the Western Isles of Scotland. *Dipterists Digest*, 15(2), 99-194
- Smith, K.G.V., 1955. Some records of Syrphidae from the Hebrides and Westernness. *Entomologist's Monthly Magazine*, 91, 274
- Stephensen, J.W. & Knutson, L.V., 1970. The distribution of snail-killing flies (Dipt., Sciomyzidae) in the British Isles. *Entomologist's Monthly Magazine*, 106, 16-21
- Stubbs, A.E., 1993. *Provisional Atlas of the ptychopterid crane flies (Diptera: Ptychopteridae) of Britain and Ireland*. Huntingdon, Biological Records Centre Institute of Terrestrial Ecology

- Summers, G., 1971. Treshnish Isles. *Entomologist's Record and Journal of Variation*, 89, 17.
- Thompson, G.B., 1952. Records of British Hippoboscidae. *The Scottish Naturalist*, 64(2), 70-73
- Wakeham-Dawson, A. & McCullough, A., 2003. *Eristalis tenax* (Linnaeus) and *Scaeva pyrastris* (Diptera, Syrphidae) recorded for the first time from North Uist, Outer Hebrides. *Dipterists Digest* (Second Series), 10, 72
- Wakeham-Dawson, A. & McCullough, A., 2007. *Sphaerophoria scripta* (Linnaeus) (Diptera, Syrphidae) recorded for the first time from North Uist, Outer Hebrides. *Dipterists Digest* (Second Series), 14, 32
- Walker, J.W., 1932. Some records of insects from St Kilda. *Entomologist's Monthly Magazine*, 68, 146-150
- Waterston, A.R., 1981. Present knowledge of the non-marine invertebrate fauna of the Outer Hebrides. *Proceedings Royal Society Edinburgh*, 79B, 215-321
- Waterston, A.R. & Lyster, I.H.J., 1979. The macrofauna of brackish and fresh waters of the Loch Druidibeg National Nature Reserve and its neighbourhood, South Uist. *Proceedings Royal Society Edinburgh Section B. Biological Sciences*, 77, 353-376
- Whiteley, D., Garland, S.P. & Hancock, E.G., 1994. A Survey of Diptera on South Uist and Adjacent Outer Hebridean islands. *Dipterists Digest*, 14, 32-43
- Zlobin, V. V. 1993. Review of mining flies of the genus *Napomyza* Westwood (Diptera: Agromyzidae). III. New European species of *lateralis*-group. *Dipterological Research*, 4(4), 225-235.

Revised February 2022

Christine Johnson

Outer Hebrides Biological Recording

---

This publication should be cited as:

Johnson, C. *Species List of the Diptera of the Outer Hebrides*. Outer Hebrides Biological Recording, 2022

© Outer Hebrides Biological Recording 2022